Cumulative Index 1980–1982

Index for Years 1980, 1981, and 1982

Volumes 60, 61, and 62

Note: Page numbers of symposia and articles are in **boldface** type.
The year is in *italic* type.

SYMPOSIA

1980

February SURGICAL INFECTIONS
April MODERN TECHNIQUES IN SURGERY AT THE LAHEY CLINIC I
June MODERN TECHNIQUES IN SURGERY AT THE LAHEY CLINIC II
August NONCARDIAC THORACIC SURGERY
October COMPLEX SURGICAL PROBLEMS
December RESPIRATORY CARE IN SURGERY

1981

February LIVER, SPLEEN, AND PANCREAS
April PRACTICAL SURGERY OF THE HAND
June SURGICAL NUTRITION
August BILIARY TRACT DISEASE
October PEDIATRIC SURGERY
December ADJUVANT TREATMENT OF CANCER

1982

February TRAUMA
April SURGERY IN THE MEDICALLY COMPROMISED PATIENT
June SELECTED PROBLEMS IN VENOUS AND ARTERIAL DISEASE
August SURGICAL HEALTH CARE DELIVERY
October SURGICAL ENDOSCOPY OF THE GASTROINTESTINAL TRACT
December UROLOGIC SURGERY

ABDOMEN, examination of, by laparoscopy, *1980*: April, **407–423**
trauma to, *1982*: Feb., **105–111**
wall of, congenital defects of, *1981*: Oct., **1037–1049**
Abdominal pain, in children, *1981*: Oct., 1120
Abdominoperineal resection, *1980*: Feb., 37
neurologic sequelae, *1982*: Dec., **1075–1083**
neurovesical dysfunction after, *1980*: Oct., *1207–1213*
Abruptio placentae, *1982*: April, 285
Abscess. See also organ or part involved.
biliary tract, aspiration and drainage, *1981*: Aug., 817
brain, *1980*: Feb., 56
hepatic. See under *Liver*.
intra-abdominal, percutaneous aspiration and drainage, *1982*: April, 236–237
postoperative, *1980*: Feb., **197–212**
pancreatic, *1981*: Aug., 935
peripancreatic, *1981*: Feb., 68
pulmonary, *1980*: Aug., 835–841; Dec., 1470–1471
radiography of, *1980*: Aug., 739
retroperitoneal, postoperative, CT detection of, *1982*: Dec., 927
Acalculous cholecystitis, after trauma, *1981*: June, 676
Acidosis, secondary to hypovolemia, *1982*: Feb., 39
Acoustic neuroma, suboccipital microsurgical removal of, *1980*: June, **565–591**
Actinomycin, in combination chemotherapy for malignant melanoma, *1981*: Dec., 1253
Acute cholecystitis, *1981*: Aug., 875–881
^{99m}Tc cholescintigraphy in, *1981*: Aug., 831
Acute respiratory distress syndrome (ARDS), *1981*: June, 674–675
after hemorrhage and trauma, physiologic determinants of, *1980*: Dec., 1414–1415
and increased intracranial pressure, *1980*: Dec., 1424–1425
and nutrition, *1980*: Dec., 1424
conditions causing, *1980*: Dec., 1359–1360
hemodynamics, *1980*: Dec., 1417–1418
identification of patients at risk, *1980*: Dec., 1359–1361
in intensive care unit, *1980*: Dec., **1413–1426**
intermittent mandatory ventilation in, *1980*: Dec., 1422
late, *1980*: Dec., 1416
monitoring of, *1980*: Dec., 1416–1417
positive end-expiratory pressure in, *1980*: Dec., 1421–1422
Acute repiratory distress syndrome *(Continued)*
prevention of, in high risk patients, *1980*: Dec., 1359–1370
renal failure in, *1980*: Dec., 1423–1424
sepsis in, *1980*: Dec., 1422–1423
ventilation-perfusion abnormalities in, *1980*: Dec., 1415–1416
Adenocarcinoma, of colon, resectable, 5-fluorouracil for, *1981*: Dec., 1316–1317
pulmonary, *1980*: Aug., 797
renal, *1982*: Dec., **1101–1118**
Adenoma, *1982*: Oct., 862–863
bronchial, *1980*: Aug., 797
colonic, possible development of from polyps, *1982*: Oct., 861–862
in colitis, *1982*: Oct., 907
of pituitary gland, *1980*: Oct., **1201–1206**
renal, *1982*: Dec., 1103
with invasive cancer, clinical management, *1982*: Oct., 866–867
endoscopic appearance of, *1982*: Oct., 866
relation of size to, *1982*: Oct., 865–866
Adenosine triphosphate, in intravenous nutrition, *1981*: June, 515
Adjuvant therapy, surgical, for malignant melanoma, *1981*: Dec., 1259–1266
Adriamycin, for nonseminomatous testicular cancer, *1981*: Dec., 1334
Adult respiratory distress syndrome, *1982*: Feb., **121–132**
causes of, *1980*: Dec., 1379–1387
characterization of, *1980*: Dec., 1378–1379
depression of reticuloendothelial system in, *1980*: Dec., 1383
microembolization in, *1980*: Dec., 1381–1383
neurogenic factors in, *1980*: Dec., 1380–1381
sepsis-induced, role of leukocytes in, *1980*: Dec., 1384
Adventitial cystic disease, of popliteal artery, *1982*: June, 454–460
Aerophagia, in children, *1981*: Oct., 1182
Agranulocytosis, drug-induced, *1980*: Feb., 76
Air embolism, *1982*: Feb., 101
Air flow handling, surgical infections and, *1980*: Feb., 35–36
Airway. See also *Ventilation*.
artificial, for infant, *1980*: Dec., 1530–1531
burns, fiberoptic bronchoscopy for, *1980*: Dec., 1536
conditions, and pulmonary pathophysiology, *1980*: Dec., 1330
maintenance of in trauma, *1982*: Feb., 74
obstruction of, *1980*: Dec., 1543–1544; *1982*: Feb., 100

Airway management, of patient in shock, initial, *1982*: Feb., 10
Albumin, for aspiration pneumonia, *1980*: Dec., 1560–1561
serum, assessment of visceral protein, *1981*: June, 457
Alcohol, pancreatitis and, *1981*: Feb., 56
Allen-Brown shunt, *1982*: June, 537
Alpha$_1$ antitrypsin, deficiency of in bronchiectasis, *1980*: Aug., 867
Alpha-fetoprotein, as tumor marker, *1981*: Dec., 1332
in testicular tumors, *1982*: Dec., 1120–1121
Alpha maneuver, colonoscopic technique, *1982*: Oct., 892
Alveolar collapse, *1980*: Dec., 1324–1326
Alveolar membrane, physiology of, *1980*: Dec., 1377–1378
Ambulatory surgery, *1982*: Aug., **685–704**
obstetric delivery as, *1982*: Aug., 699
Amebic colitis, endoscopic appearance, *1982*: Oct., 909
American Board of Family Practice, establishment of, *1982*: Aug., 584–585
Amikacin, for intra-abdominal abscess, *1982*: April, 234–235
Amino acids, in intravenous nutrition, *1981*: June, 515
requirements, *1981*: June, 495, 496
Aminoglycosides, in patients with hepatic dysfunction, *1982*: April, 334
in patients with renal dysfunction, *1982*: April, 336
nephrotoxicity of, *1980*: Feb., 74
Amniocentesis, *1982*: April, 283–284
Amniotic membranes, rupture of, *1982*: April, 285
Amputation, of fingertip, *1981*: April, 249–254
Amylase, *1981*: Feb., 49
Anaerobic infection, *1980*: Feb., **49–63**
diagnosis of, *1980*: Feb., 52–55
Anal sphincter, reconstruction of, *1980*: April, **457–463**
Anaphylaxis, penicillin-induced, *1980*: Feb., 66
Anastomosis, bowel, with stapler, *1980*: April, 383–393
Androgens, for impotency, *1982*: Dec., 986
Anemia, hemolytic, immune, drug-induced, *1980*: Feb., 77
Anesthesia. See also specific agents.
for major trauma, *1982*: Feb., **31–45**
regional versus general, *1982*: Feb., 34
for patient with impaired pulmonary function, *1982*: April, 207–211
in infants and children, *1981*: Oct., **997–1012**; *1982*: Dec., 948
in treatment of hand injuries, *1980*: June, 680–682
Aneurysm, abdominal aortic, CT detection of, *1982*: Dec., 929, 932
aortic, thoracoabdominal, *1982*: June, **441–448**
false, femoral, *1982*: June, **431–440**
in upper extremity, *1982*: June, 380–381
Aneurysmorrhaphy, false, *1982*: June, 437–438
Angiitis, hypersensitivity, *1980*: Feb., 68
Angiography, cerebral, *1982*: Feb., 50, 52
for mediastinal mass, *1980*: Aug., 763
for renal carcinoma, *1982*: Dec., 1107–1108
for renal trauma, *1982*: Dec., 1056
for vascular injury, *1982*: Feb., 115
Angioinfarction, of renal adenocarcinoma, *1982*: Dec., 1111–1112
Angioplasty, percutaneous transluminal, *1982*: June, **357–372**
Angiotomography, mediastinal, *1980*: Aug., 731
Annular pulley, *1981*: April, 270
Anorexia, in cancer, *1981*: June, 693
Antacid, for gastroduodenal disease, *1980*: Oct., 1031
Antibacterial agents, adverse effects of, *1980*: Feb., **65–81**
Antibiotics. See also names of drugs.
for pneumonia, *1980*: Dec., 1399
prophylactic, for surgical patient, *1980*: Feb., **83–92**
use in vascular prosthetic operations, *1982*: June, 517
Antibiotic-related colitis, endoscopic appearance, *1982*: Oct., 909–910
Anticancer agents. See *Chemotherapy*.
Anticonvulsants, use after head injury, *1982*: Feb., 58–59
Anti-diuretic hormone, release of in shock, *1982*: Feb., 23
Antimicrobial agents, use in hepatic and renal dysfunction, *1982*: April, **333–340**
Antishock garment, *1982*: Feb., 25
Anus, examination of before colonoscopy, *1982*: Oct., 871
Aorta, aneurysm of, thoracoabdominal, *1982*: June, **441–448**
coarctation of, *1981*: Oct., 1070
grafts of, infection of, diagnosis, *1982*: June, 522–524
trauma to, *1980*: Aug., 978–980
Aortic stenosis, neonatal repair, *1980*: Oct., 1073
Aortofemoral bypass, prediction of operative success, *1982*: June, 483–484
Aortoiliac steal syndrome, *1982*: June, 351–352
Aortorenal saphenous vein bypass graft, for renovascular hypertension, *1980*: June, **487–501**
Aplastic anemia, drug-induced, *1980*: Feb., 76

Apnea, after repair of esophageal atresia, *1981*: Oct., 1058
Appendectomy, incidental, risk of, *1980*: Feb., 33
Appendicitis, in children, *1981*: Oct., **1117–1124**
Appendix epididymis, torsion of, *1982*: Dec., 965
Appendix testis, torsion of, *1982*: Dec., 965–966
Arachnoid plane, preservation of, in removal of acoustic neuroma, *1980*: June, 574–575
ARDS. See *Acute respiratory distress syndrome (ARDS)*.
Arm. See also *Upper extremity*.
vascular disease of, *1982*: June, **373–389**
Arm muscle area, measurement, *1981*: June, 453–454
Arterial-venous oxygen difference, equation for, *1980*: Dec., 1443
Arteriography, after blunt chest trauma, *1982*: Feb., 116
for graft infection, *1982*: June, 521–522
stroke following, *1982*: June, 470
Arteriosclerosis, of arm, *1982*: June, 374–375
Arteriovenous fistula, for vascular access, *1982*: June, 539–540
Arteriovenous malformation, colonic, as cause of rectal bleeding, *1982*: Oct., 901
congenital, *1982*: June, 384–385
Arteritis, *1982*: June, 375
Artery(ies). See also under specific artery.
coronary, trauma to, *1980*: Aug., 977
disease of, selected problems in, symposium on, *1982*: June, **345–552**
mesenteric, anatomy of, *1982*: June, 345–347
occlusive disease of, *1982*: June, 347
peripheral, disease of, nonivasive tests for, *1982*: June, **473–487**
Arthritis, inflammatory, development of, *1981*: April, 365–366
immunopathology of, *1981*: April, **353–368**
Arthroplasty, implant, in hand, *1981*: April, **369–382**
in upper extremity, *1981*: April, 369–382
implant resection, *1981*: April, 372–373
resection, *1981*: April, 371
Ascites, pancreatic, *1981*: Feb., 76
Ascorbic acid, *1981*: June, 501–502
Aspergilloma, *1980*: Aug., 908–909
Aspergillosis, pulmonary, *1980*: Aug., 908–910, 916
Asphyxia, traumatic, in infants and children, *1981*: Oct., 1185
Aspiration, drainage and, percutaneous, of intra-abdominal abscess, *1982*: April, 236–237
Aspiration *(Continued)*
needle, therapy for spontaneous pneumothorax, *1980*: Aug., 853
prevention of, *1980*: Dec., 1346–1347
pulmonary, postoperative, *1980*: Dec., 1346
Aspiration biopsy, for mediastinal mass, *1980*: Aug., 764
for prostatic carcinoma, *1982*: Dec., 1085–1087
in pulmonary lesions, in immune-compromised patients, *1980*: Aug., 927
radiographically guided, of biliary tract, *1981*: Aug., 814–817
Aspiration pneumonia. See *Pneumonia, aspiration*.
Asthma, physiology of lungs in, *1980*: Dec., 1333
Atelectasis, after thoracic trauma, *1982*: Feb., 103
bronchoscopy in, *1980*: Dec., 1397
causes, *1980*: Dec., 1339, 1392–1393
clinical findings in, *1980*: Dec., 1391
continuous positive airway pressure in, *1980*: Dec., 1398–1399
development of pneumonia and, *1980*: Dec., 1394
endotracheal intubation for, *1980*: Dec., 1397–1398
endotracheal suctioning in, *1980*: Dec., 1396
incentive devices in, *1980*: Dec., 1395
intratracheal catheter in, *1980*: Dec., 1396
patient position in, *1980*: Dec., 1394–1395
physiotherapy in, *1980*: Dec., 1396
positive end-expiratory pressure in, *1980*: Dec., 1398–1399
radiograph of, *1980*: Dec., 1510
prevention of, *1980*: Dec., 1339–1344
Atlantoaxial fusion, *1980*: Oct., 1040–1041
Attachment, in child's psychosocial development, *1982*: Dec., 943–945
Automobile accidents, during pregnancy, *1982*: April, 280
Autotransfusion, posttraumatic, *1982*: Feb., 14
Axial pattern skin flap, for radiation wound, *1982*: April, 312, 315
Azotemia, prerenal, drug-induced, *1980*: Feb., 73

BACILLUS Calmette-Guerin (BCG), for large bowel carcinoma, *1981*: Dec., 1298
for lung cancer, intralesional injection, *1981*: Dec., 1292
for malignant melanoma, *1981*: Dec., 1250–1251, 1252, 1260–1261, 1269
chemotherapy and, *1981*: Dec., 1253

Bacillus Calmette-Guerin *(Continued)*
for malignant melanoma, compared with *C. parvum*, *1981*: Dec., 1250
with neuraminidase-treated allogeneic cells, *1981*: Dec., 1269
for pulmonary lesions, *1980*: Aug., 823
for superficial bladder tumors, *1981*: Dec., 1335–1336
intradermal, for lung cancer, *1981*: Dec., 1290–1291
intrapleural, for lung cancer, *1981*: Dec., 1291–1292
methanol extract residue of. See *MER*.
toxicity of, *1981*: Dec., 1274
Back ailments, in geriatric patients, *1982*: April, **291–295**
Bacteremia, transient, induced by colonoscopy, *1982*: Oct., 891
Bacterial infection, in surgical patient, *1980*: Feb., 118–120
Bacteroides fragilis, in pulmonary abscess, *1980*: Aug., 839
infection, therapy for, *1980*: Feb., 61–63
Ballance's sign, *1981*: Feb., 3
Balloon tip catheter, in endoscopic stone removal, *1981*: Aug., 858
Barium contrast studies, for infected intra-abdominal aortic graft, *1982*: June, 522–523
Basal energy expenditure (BEE), equation, *1981*: June, 493
Basal metabolic rate (BMR), *1981*: June, 493, 545–547, 574–575
in disease, *1981*: June, 577
Base deficit, whole body, formula for calculating, *1982*: Feb., 39
Battle's sign, *1982*: Feb., 48
BCG. See *Bacillus Calmette-Guerin (BCG)*.
BCNU, in combination chemotherapy for malignant melanoma, *1981*: Dec., 1253
toxicity of, *1981*: Dec., 1274
Beckwith-Weidemann syndrome, *1981*: Oct., 1039
BEE. See *Basal energy expenditure (BEE)*.
Belcher's complex, *1980*: Aug., 909
Bile, cholesterol supersaturation of and lithogenesis, *1981*: Aug., 765–766, 876, 893–894
role in pancreatitis, *1981*: Aug., 924–925
Bile duct. See *Common bile duct*.
Biliary atresia, *1981*: Oct., **1079–1088**
Biliary obstruction, in neonate, *1981*: Aug., 987–992
Biliary stricture, *1981*: Aug., **963–972**
benign, management of, *1980*: April, **313–332**
Biliary tract, CT of, *1981*: Aug., 789
disease, pediatric, ^{99m}Tc cholescintigraphy in, *1981*: Aug., 838, 840
symposium on, *1981*: Aug., **765–992**
ultrasound versus computed tomography, *1981*: Aug., 787–788
Biliary tract *(Continued)*
drainage, internal, *1981*: Aug., 783–784
percutaneous transhepatic approach, *1981*: Aug., 783
obstruction, extrahepatic, *1981*: Feb., 75
surgery of, intubation techniques for, *1980*: April, **297–312**
ultrasound examination of, *1981*: Aug., 791–794
Biliary tree, extrahepatic, diseases, cholangiography of, *1981*: Aug., 847, 852–853
intrahepatic, CT examination of, *1981*: Aug., 801, 806
diseases, cholangiography of, *1981*: Aug., 846–847
ultrasound examination of, *1981*: Aug., 800–801, 806
obstruction of, endoscopic management, *1982*: Oct., **837–844**
radiology of, *1981*: Aug., **775–786**
radionuclide imaging of, *1981*: Aug., **827–842**
Bilirubin, in assessment of liver function, *1981*: Feb., 198
Biopsy. See also names of specific organs.
aspiration. See *Aspiration biopsy*.
fine needle, for pulmonary nodules, *1980*: Aug., 749
of retroperitoneal lymph nodes, CT in, *1982*: Dec., 922
lung cancer, *1980*: Aug., 801
of lung, *1980*: Dec., 1471–1473
of pancreatic lesions, *1981*: Feb., 108
open lung, for pulmonary lesions, *1980*: Aug., 927
percutaneous needle, for pulmonary lesions, *1980*: Aug., 828–829
scalene node, for staging lung cancer, *1980*: Aug., 805
Biostereometrics, *1981*:June, 746–747
Bladder, contracted, enlargement of, *1980*: June, **703–710**
dysfunction of, in children, diversion and undiversion procedures in, *1981*: Oct., **1147–1164**
neurogenic, *1982*: April, 269
ileocecal, *1980*: June, 698
injury to, *1982*: Dec., 1069–1070
invasive cancer of, cystectomy and urinary diversion for, *1981*: Dec., 1336
stress incontinence of, *1980*: April, **425–435**; *1982*: Dec., **1035–1045**
superficial tumors of, treatment, *1981*: Dec., 1335–1336
Blastomycosis, North American, *1980*: Aug., 904–906
Bleeding. See also *Hemorrhage*.
intra-abdominal, during pregnancy, *1982*: April, 285–287
rapid external, control of, *1982*: Feb., 10

Bleeding *(Continued)*
rectal, colonoscopic diagnosis and management, *1982*: Oct., **897–903**
upper gastrointestinal, electrocoagulation for, *1982*: Oct., **797–806**
Bleomycin, for nonseminomatous testicular cancer, *1981*: Dec., 1333–1334
Blind loop syndrome, *1980*: Feb., 60
nutritional problems, *1981*: June, 727
Blood, arterial-venous oxygen difference, equation for, *1980*: Dec., 1443
banked, changes occurring with use of, *1982*: Feb., 13
Blood gases, analysis of, and pulmonary function, *1980*: Dec., 1439–1441
Blood pressure, ankle, postexercise, *1982*: June, 480–481
central venous (CVP), measurement of, in respiratory failure, *1980*: Dec., 1417–1418
segmental, measurement of, *1982*: June, 475–476
Blood volume, measurement of, *1980*: Dec., 1417
BMR. See *Basal metabolic rate (BMR)*.
Bochdalek hernia, *1980*: Aug., 737, 738
congenital, *1981*: Oct., 1024
Body composition, effect of stress on, *1981*: June, 732–734
measurement, *1981*: June, 731–732
normal, *1981*: June, 730–731
Body temperature, regulation, *1981*: June, 547–549
Body weight, as percentage of ideal body weight, equation, *1981*: June, 448
excessive. See *Obesity*.
ideal, determination, *1981*: June, 446–448
in nutritional assessment, *1981*: June, 448–452
loss, significance of, formula, *1981*: June, 448
usual, per cent, equation, *1981*: June, 448
Boerema anterior gastropexy, *1981*: Oct., 1109
Bombesin, *1981*: Feb., 52
Bone grafts, autogenous, for digital aplasia, *1981*: April, 418
Bone marrow, suppression, drug-induced, *1980*: Feb., 76
Bone scanning, in lung cancer, *1980*: Aug., 744
Bovine heterografts, for vascular access, *1982*: June, 546
Bowel. See also *Colon; Gastrointestinal tract; Intestines*.
bacterial overgrowth syndromes, *1980*: Feb., 60
preparation of for colonoscopy, complications of, *1982*: Oct., 889–890
Bowel *(Continued)*
surgery of, use of stapler in, *1980*: April, 383–393
Bowel disease, inflammatory, in children, *1981*: Oct., **1125–1135**
Brachial plexus, traumatic injuries to, *1981*: April, **341–351**
repair of shoulder in, *1981*: April, 344
Brain, abscess, *1980*: Feb., 56
Brain stem auditory-evoked response testing, in diagnosis of acoustic neuroma, *1980*: June, 567–568
Breast, carcinoma of, early stage, *1980*: Oct., **1179–1186**
local excision and radiation therapy for, *1980*: Oct., **1179–1186**
Breast surgery, fictional case history, use in study of surgical decision-making, *1982*: Aug., 724–725
Brescia-Cimino fistula, *1982*: June, 540–542
Bridge arteriovenous fistula, *1982*: June, 542–546
Bronchiectasis, *1980*: Aug., 867–874
treatment for, *1982*: April, 202–203
Bronchography, in bronchiectasis, *1980*: Aug., 871
with fluoroscopy, *1980*: Aug., 718
Bronchoscopy, diagnostic, *1980*: Aug., 749–750
fiberoptic, for airway burns, *1980*: Dec., 1536
in diagnosis of pulmonary lesions, *1980*: Aug., 829
for bronchiectasis, *1980*: Aug., 871
for lung cancer, *1980*: Aug., 800–801
in respiratory care, *1980*: Dec., **1494–1501**
indications, *1980*: Dec., 1497
Bronchus, tumor of, benign, *1980*: Aug., 825–834
Brooks' fusion, for atlantoaxial instability, *1980*: Oct., 1040–1041
Broviac catheter, in total parenteral nutrition, *1982*: June, 532
placement of, *1981*: June, 623; *1982*: June, 535–537
Buerger's disease, *1982*: June, 383
Burn inhalation injury, in infants and children, *1981*: Oct., 1185
Burn patient, host defense and, *1980*: Feb., 108–110
infection in, *1980*: Feb., **185–196**
red shock syndrome in, *1980*: Feb., 166–170
Burns, care of, algorithm for, *1980*: Oct., 1019
during pregnancy, *1982*: April, 280
fluid therapy, *1980*: Oct., 1021–1026
severe, acute duodenal ulceration and, *1980*: Oct., 1029–1032

Burns *(Continued)*
severe, early management, *1980*: Oct., **1021–1033**
inhalation injury and, *1980*: Oct., 1026–1029
Bypass. See under specific type.
Bypass grafting, of mesenteric vessels, *1982*: June, 350

CALCULUS, biliary. See *Common bile duct, stones.*
Cancer. See *Carcinoma.*
Candidiasis, pulmonary, *1980*: Aug., 918–919
Cannulation, percutaneous, for temporary vascular access, *1982*: June, 539
Cantrell, pentalogy of, *1981*: Oct., 1039
Capillary leak, in severe systemic sepsis and acute respiratory distress syndrome, *1980*: Dec., 1420–1421
Capillary permeability edema, radiograph of, *1980*: Dec., 1515–1516
Capmul, dissolution of retained stones, *1981*: Aug., 945
Carbohydrate, in intravenous nutrition, *1981*: June, 514
Carcinoembryonic antigen (CEA), *1981*: Feb., 204
Carcinogenesis, diet and, *1981*: June, 691–692
Carcinoma. See also *Tumors*, or specific types or organs affected.
adjuvant therapy for, rationale for, *1981*: Dec., **1245–1247**
anorexia in, *1981*: June, 693
bile duct, *1981*: Aug., **981–986**
bladder, invasive, cystectomy and urinary diversion for, *1981*: Dec., 1336
breast. See *Breast.*
bronchial, natural history after resection, *1981*: Dec., **1279–1287**
TNM staging of, *1981*: Dec., 1283
bronchogenic. See *Lung, carcinoma.*
cachexia, *1981*: June, 692, 694
chemotherapy. See *Chemotherapy.*
colonic, and rectal, combined immunotherapy and chemotherapy for, *1981*: Dec., 1306–1307
immunotherapy for, *1981*: Dec., 1306–1307
in chronic ulcerative colitis, *1982*: Oct., 907–908
surveillance for, *1982*: Oct., 910–911
genitourinary, adjuvant therapy for, *1981*: Dec., **1331–1346**
hilar, angiographic evaluation of, *1980*: Aug., 752
infection and, *1980*: Feb., 60, **145–159**

Carcinoma *(Continued)*
large bowel, adjuvant therapy, *1981*: Dec., **1311–1320**
BCG for, *1981*: Dec., 1298
chemo-immunotherapy for, *1981*: Dec., 1319
5-fluorodeoxyuridine for, *1981*: Dec., 1315
5-fluorouracil for, *1981*: Dec., 1297–1299, 1315–1317, 1321–1329
after palliative resection, *1981*: Dec., 1326
principles of operation for, *1981*: Dec., 1296
prolonged intermittent 5-fluorouracil for, *1981*: Dec., 1317–1318
recurrence and death rates after curative resection, *1981*: Dec., 1323–1326
Thiotepa for, *1981*: Dec., 1297, 1315
unfavorable prognostic signs, *1981*: Dec., 1317
liver, *1981*: Feb., **169–180**
lung. See *Lung.*
mediastinal, embryonal, *1980*: Aug., 771
primary, *1980*: Aug., 773
metabolism in, *1981*: June, 694–696
nutrition in, *1981*: June, **691–700**
nutritional support in, *1981*: June, 697–698
of cardia, esophagogastrectomy for, *1980*: April, **265–279**
of esophagus and cardia, esophagogastrectomy for, *1980*: April, **265–279**
pancreatic. See *Pancreas.*
prostatic, *1982*: Dec., **1085–1099**
treatment with iodine-125 seeds, *1980*: Oct., **1215–1223**
radiation therapy for. See *Radiation therapy.*
rectal. See *Rectum.*
testicular, nonseminomatous, chemotherapy for, *1981*: Dec., 1333–1334
radiotherapy for, *1981*: Dec., 1333
surgery plus radiotherapy for, *1981*: Dec., 1334
therapy, deleterious nutritional effects, *1981*: June, 696–697
Cardia, carcinoma of, esophagogastrectomy for, *1980*: April, **265–279**
Cardiac. See also *Heart.*
Cardiac cachexia, *1981*: June, 635–641
Cardiac defects, complex congenital, valved conduit repair, *1980*: Oct., **1225–1237**
Cardiac failure, nutritional support in, *1981*: June, **635–652**; *1982*: April, 328
Cardiac output, *1982*: Feb., 20–21
in acute respiratory failure, *1980*: Dec., 1407–1408, 1418

Cardiac output *(Continued)*
measure of, *1980*: Dec., 1443
Cardiac surgery, in neonates, *1981*: Oct., **1063–1078**
Cardiac tamponade, *1982*: Feb., 101
in infants and children, *1981*: Oct., 1194
treatment of, *1980*: Dec., 1545
Cardiopulmonary bypass, in infants, *1981*: Oct., 1064–1066
Cardiovascular physiology, in pediatric anesthesia, *1981*: Oct., 1004
Cardiovascular surgical patient, acute renal failure in, *1980*: Oct., 1158–1161
Carotid artery, disease of, as cause of stroke, *1982*: June, 467–470
Echoflow analysis of, *1980*: June, 516–520
graft of, treatment of infection, *1982*: June, 527
noninvasive evaluation of, *1980*: June, **513–526**
oculoplethysmography in evaluation of, *1980*: June, 515–517
Carotid endarterectomy, *1980*: June, **503–512**
Carotid phonangiography, *1980*: June, 514–515
Carpal tunnel, anatomy of, *1981*: April, 269–270
injuries within, *1981*: April, 283
Cataract extraction, fictional case history, use in study of surgical decision-making, *1982*: Aug., 726
Catheter, arterial, techniques, *1980*: Dec., 1441–1442
central venous, *1981*: June, 589
cuffed, venous cutdown insertion, *1981*: June, 587–588
for nasogastric feeding, *1981*: June, 610
Hickman, *1981*: June, 623; *1982*: June, 532, 535–537
in biliary tract surgery, *1980*: April, **297–312**
infection and, *1980*: Feb., 122–125
infraclavicular subclavian, *1982*: June, 533–534
intratracheal, in atelectasis, *1980*: Dec., 1396–1397
percutaneous techniques, *1982*: June, 534–535
peripheral venous, *1981*: June, 586–587
subclavian, *1981*: June, 584–586
Swan-Ganz, assessment of positive end-expiratory pressure with, *1980*: Dec., 1407
transnasal biliary, *1982*: Oct., 829
urinary tract, infection and, *1980*: Feb., **223–231**
Cavernous hemangioma, of liver, *1981*: Feb., 182–184
CEA. See *Carcinoembryonic antigen (CEA)*.
Cecocystoplasty, augmentation, *1980*: June, **703–710**
Cecum, volvulus of, in geriatric patient, *1982*: April, 255–257
Cefoxitin, for intra-abdominal abscess, *1982*: April, 235
Celioscopy, *1980*: April, **407–424**
Cell-mediated immunity, in malnutrition, *1981*: June, 558–563
Central nervous system, hepatic failure and, *1981*: Feb., 224
Central venous pressure (CVP), in respiratory failure, *1980*: Dec., 1417–1418
Cephalosporin, penicillin cross-reactivity, *1980*: Feb., 66
use in patients with hepatic dysfunction, *1982*: April, 334
Cerebral palsy, deformed thumb in, treatment, *1981*: April, 402
hemiplegic spastic hand in, surgery for, *1981*: April, **395–406**
Cerebrovascular disease, microsurgical vascular bypass for, *1980*: June, **555–563**
Cerulein, *1981*: Feb., 52
Cervical spine, injuries, *1980*: Oct., 1040–1043
Chemodectoma, mediastinal, *1980*: Aug., 766
Chemotherapy, combination, for rectal carcinoma, *1981*: Dec., 1318–1319
for lung cancer, *1980*: Aug., 809
for neuroblastoma, *1981*: Oct., 1233, 1235
for renal carcinoma, ineffectiveness of, *1982*: Dec., 1112
for testicular carcinoma, *1982*: Dec., 1125–1126
for Wilms' tumor, *1981*: Oct., 1225
Chenodeoxycholic acid, for gallstones, *1981*: Aug., 866–870
Chest, computed tomography of, *1980*: Aug., 721
disease of, fungal, surgical management of, *1980*: Aug., **897–912**
radiologic diagnosis of, *1980*: Aug., **715–742**
drainage of, after pulmonary resection, *1980*: Dec., 1491–1494
radiography of, *1980*: Dec., **1503–1518**
surgery of, effect on pulmonary pathophysiology, *1980*: Dec., 1334
trauma to, *1980*: Aug., **957–981**; Dec., **1541–1549**; *1982*: Feb., **97–104**
anesthesia in, *1982*: Feb., 41
in children, *1981*: Oct., **1181–1197**
Chest wall, deformities, in children, *1981*: Oct., **1199–1207**
injuries to, in infants and children, *1981*: Oct., 1183
prosthesis for, *1980*: Aug., 789
tumors of, *1980*: Aug., **779–791**

Children. See also *Infants*.
appendicitis in, *1981*: Oct., **1117–1124**
chest wall deformities in, *1981*: Oct., **1199–1207**
chloramphenicol toxicity in, *1980*: Feb., 67
gastroesophageal reflux in, *1981*: Oct., **1101–1115**
gender identity in, *1982*: Dec., 945
hepatic trauma in, *1981*: Oct., **1165–1180**
inflammatory bowel disease in, *1981*: Oct., **1125–1135**
inguinal hernia and hydrocele in, *1981*: Oct., **1137–1145**
liver tumors in, *1981*: Oct., **1209–1217**
parenteral nutrition in, *1981*: Oct., **1089–1100**
splenic trauma in, *1981*: Oct., **1165–1180**
surgery in, respiratory support in, *1980*: Dec., **1519–1532**
thoracic trauma in, *1981*: Oct., **1181–1197**
urinary diversion and undiversion in, *1981*: Oct., **1147–1164**
Chlorambucil, oral, for nonseminomatous testicular cancer, *1981*: Dec., 1334
Chloramphenicol, toxicity, in infants and children, *1980*: Feb., 67
use in patients with hepatic dysfunction, *1982*: April, 334–335
Cholangiography. See also *Intravenous cholangiography* and *Percutaneous transhepatic cholangiography*.
in acute cholecystitis, *1981*: Aug., 878
of common bile duct, intraoperative, *1981*: Aug., 940–941
operative, *1981*: Aug., 780–781; *1982*: Oct., 854
for choledocholithiasis, *1981*: Aug., 900–901
postoperative, *1981*: Aug., 781, 941
T-tube, postoperative, *1981*: Aug., 943–944
transhepatic percutaneous, *1981*: Feb., 25–28, 101
Cholangiojejunostomy, intrahepatic, *1980*: Oct., 1308–1311
Cholangitis, acute suppurative, *1981*: Aug., 885–892
primary sclerosing, *1981*: Aug., 951–962
differentiation from cholangiocarcinoma, *1981*: Aug., 956–957
sclerosing, radiography of, *1981*: Aug., 846
Cholecystectomy, biliary stricture from, *1980*: April, 313–315
fictional case history, use in study of surgical decision-making, *1982*: Aug., 725
in acute cholecystitis, *1981*: Aug., 880–881
Cholecystectomy *(Continued)*
in chronic cholecystitis, *1981*: Aug., 882
Cholecystitis, acute, *1981*: Aug., 875–881
^{99m}Tc cholescintigraphy in, *1981*: Aug., 831
chronic, *1981*: Aug., 881–882
Cholecystography, oral, *1981*: Aug., 776–777
in pancreatitis, *1981*: Aug., 929
Cholecystokinin-pancreozymin, *1981*: Feb., 51
Choledochoduodenostomy, *1981*: Aug., 915–917, 919–920
endoscopic, *1982*: Oct., 832
Choledochojejunostomy, *1980*: April, 343
Roux-en-Y, *1981*: Aug., 920, 968–970
Choledocholithiasis. See *Common bile duct, stone*.
Choledochoplasty, for biliary stricture, *1980*: April, 323–324
Choledochoscopy, *1982*: Oct., **853–859**
fiberoptic, *1982*: Oct., 857–858
in choledocholithiasis, *1981*: Aug., 904–905
intraoperative, in common bile duct exploration, *1981*: Aug., 942–943
per oral, *1982*: Oct., 833
T-tube track, *1982*: Oct., 833
value in detecting stones, *1982*: Oct., 856
Choledochotomy, for choledochoscopy, *1982*: Oct., 855
in choledocholithiasis, *1981*: Aug., 903
Cholelithiasis. See *Gallstones*.
Cholescintigraphy, in acute cholecystitis, *1981*: Aug., 878, 889
^{99m}Tc, *1981*: Aug., **827–842**
Cholestatic jaundice, TPN-related, *1980*: Oct., 1247–1248
Cholesterol, supersaturation of bile and lithogenesis, *1981*: Aug., 765–766, 876, 893–894
Cholesterol gallstones, pathogenesis, *1981*: Aug., **765–774**
Cholylglycine, *1981*: Feb., 204
Chondroma, of chest wall, *1980*: Aug., 781–782
Chondrosarcoma, of chest wall, *1980*: Aug., 784–786
Choriocarcinoma, *1982*: Dec., 1119
mediastinal, *1980*: Aug., 771
Stage B, chemotherapy for, *1981*: Dec., 1334
Chromaffin tissue tumors. See *Pheochromocytoma*.
Chronic ulcerative colitis, carcinoma in, *1982*: Oct., 907–908
surveillance for, *1982*: Oct., 910–911
Chylothorax, with thoracic duct injury in children, *1981*: Oct., 1188
Chymodenin, *1981*: Feb., 52

Cimetidine, for gastroduodenal disease, *1980*: Oct., 1031
Circulation, fetal, persistent, diaphragmatic hernia and, *1981*: Oct., 1026
Cirrhosis, carcinoma and, *1981*: Feb., 172
of liver, cholangiography of, *1981*: Aug., 846
Cis-platinum, for nonseminomatous testicular cancer, *1981*: Dec., 1333–1334
Clavicle, fracture of, *1980*: Aug., 962
Clindamycin, for intra-abdominal abscess, *1982*: April, 234
use in patients with hepatic dysfunction, *1982*: April, 335
Clostridium difficile infection, *1980*: Feb., 58–60, 63
Clotting factors, *1981*: Feb., 202
Coagulopathy, posttransfusion, *1982*: Feb., 13, 40
Coarctation, aortic, *1981*: Oct., 1070
Coccidioidosis, *1980*: Aug., 902–904, 919
Coin lesion, of lung, *1980*: Aug., 798
Colitis, amebic, endoscopic appearance, *1982*: Oct., 909
pseudomembranous, *1980*: Feb., 58–60, 63, 71
schistosomal, endoscopic appearance, *1982*: Oct., 909
ulcerative. See *Ulcerative colitis*.
Collagen, antigenicity of, *1981*: April, 356
autoimmunity to, in arthritis, *1981*: April, 360–365
degradation of, in arthritis, *1981*: April, 357–358
Collagen vascular disease, *1982*: June, 382–383
Colloid, in burn therapy, *1980*: Oct., 1025
Colloid oncotic pressure, in acute respiratory distress syndrome, *1980*: Dec., 1418
Colon. See also *Large bowel*.
arteriovenous malformation of, as cause of rectal bleeding, *1982*: Oct., 901
hemorrhage from, massive, *1980*: Oct., **1297–1304**
interposition of, after esophagogastrectomy, *1980*: April, 276–278
polyps of, endoscopic removal, *1982*: Oct., **877–887**
rationale for, *1982*: Oct., **861–867**
resectable adenocarcinoma of, 5-fluorouracil for, *1981*: Dec., 1316–1317
sigmoidoscopy of, *1980*: April, **465–479**
volvulus of, in geriatric patient, *1982*: April, **249–260**
Colon conduit for urinary diversion, in children, *1981*: Oct., 1150
Colon loop, sigmoid, *1980*: June, 700
transverse, *1980*: June, 698, 699
Colonoscopy, complications of, *1982*: Oct., **889–896**
for colon volvulus, *1982*: April, 254–255
in inflammatory bowel disease, *1982*: Oct., **905–913**
intubation of ileostomy stoma, *1982*: Oct., 912
premedication for, *1982*: Oct., 870–871
splinting device in, *1982*: Oct., 875–876, 893
technique and training methods, *1982*: Oct., **869–876**
Common bile duct, benign stricture of, *1981*: Aug., **963–972**
cancer of, *1981*: Feb., **99–106**; Aug., **981–986**
diversion of, ERCP after, *1981*: Aug., 853–854
intraoperative choledochoscopy, *1981*: Aug., 942–943
stones, *1981*: Aug., **893–907**
cholangiography of, *1981*: Aug., 847
endoscopic management of, *1982*: Oct., **825–836**
pancreatitis and, *1981*: Feb., 57; *1981*: Aug., 925
primary versus secondary, *1981*: Aug., 895–896
retained, *1981*: Aug., **939–950**
surgical exploration of, *1981*: Aug., 899–900, 903–904
Compartment syndromes, *1980*: Oct., 1126
Computerized tomography. See *CT*.
Conduit, porcine valved, for congenital cardiac defects, *1980*: Oct., **1225–1237**
Congenital heart disease, surgery for, *1981*: Oct., **1063–1078**
Congestive heart failure, in neonates, *1981*: Oct., 1068
nutritional requirements, *1981*: June, 641–644
Consumers, preferences and demands of, effect on surgical rates, *1982*: Aug., 635–636
Continuous positive airway pressure (CPAP), in atelectasis, *1980*: Dec., 1398–1399
in pneumonia, *1980*: Dec., 1398–1399
indications for, *1980*: Dec., 1432–1433
Contraction stress test, *1982*: April, 284
Copper deficiency, with parenteral nutrition in children, *1981*: Oct., 1096
Cornell–New York Hospital second opinion program, *1982*: Aug., 709–710, 712
Coronary air embolization, *1982*: Feb., 12
Coronary artery, left, anomalous origin of, *1981*: Oct., 1066
Coronary artery bypass, combined with noncardiac operations, *1982*: April, **215–224**

Coronary vein thrombosis, transhepatic, for bleeding esophageal varices, *1980*: April, 282–283
Corticosteroids, in treatment of myasthenia gravis, *1980*: Aug., 936
Corynebacterium parvus, for malignant melanoma, *1981*: Dec., 1250, 1259, 1261–1264
with chemotherapy, *1981*: Dec., 1253
Cost-benefit analysis, definition, *1982*: Aug., 737
formula for, *1982*: Aug., 742
steps in, *1982*: Aug., 739–740
use in surgical decision-making, *1982*: Aug., 747
Cost-effective analysis, decision rules in, *1982*: Aug., 742–743
definition, *1982*: Aug., 737–738
use in surgical decision-making, *1982*: Aug., 747
Craniofacial resection, of head and neck tumors, *1980*: June, **609–628**
Creatinine excretion, urinary, as estimation of somatic protein mass, *1981*: June, 454, 455
Creatinine-height index, as estimation of somatic protein mass, *1981*: June, 454–455
Credentialing, of physicians, *1982*: Aug., 757
Cricopharyngeal myotomy, *1980*: Oct., 1088
Cricothyroidotomy, *1982*: Feb., 74–75
in emergency room, *1982*: Feb., 10
technique, *1980*: Dec., 1459–1461
Crohn's disease, in children, *1981*: Oct., 1131–1134
TPN in, *1981*: June, 702–703
Cross-finger flap, *1981*: April, 254–256
Crossover venous bypass, *1982*: June, 403
Crush injury, severe, renal failure after, *1982*: Feb., 145–146
Cryptococcosis, pulmonary, *1980*: Aug., 906–908, 913–915
immune-compromised patient and, *1980*: Aug., 914
CT, for gallbladder disease, *1981*: Aug., 794–795
for graft infection, *1982*: June, 522
for intra-abdominal abscess, *1982*: April, 230–231
in biliary tract disease, versus ultrasound, *1981*: Aug., 787–788
in evaluation of mediastinal mass, *1980*: Aug., 763–764
in head injury, *1982*: Feb., 50
in intrathoracic abnormalities, *1980*: Aug., 828
in pancreatic disease, *1981*: Feb., 32–37, 101; Aug., 814
CT *(Continued)*
in prostatic carcinoma, to detect lymph node metastases, shortcomings of, *1982*: Dec., 1094
in renal carcinoma, *1982*: Dec., 1107
in spinal trauma, *1982*: Feb., 65
of biliary tract, *1981*: Aug., 789
of biliary tree, *1981*: Aug., 801, 806
of chest, *1980*: Aug., 721
of liver, *1981*: Aug., 808, 812
of retroperitoneum, *1982*: Dec., **919–939**
Curling's ulceration, *1980*: Oct., 1029–1031
CVP. See *Blood pressure, central venous*.
Cyanosis, neonatal, *1980*: Dec., 1523
Cyclophosphamide, for nonseminomatous testicular cancer, *1981*: Dec., 1334
Cystectomy, urinary diversion and, for invasive bladder cancer, *1981*: Dec., 1336
Cyst, bronchogenic, mediastinal, *1980*: Aug., 774
congenital, mediastinal, *1980*: Aug., 773
duplication, mediastinal, *1980*: Aug., 775
enteric, *1980*: Aug., 775
pericardial, *1980*: Aug., 774
thoracic duct, *1980*: Aug., 775
thymic, *1980*: Aug., 775
Cystometrogram, for urinary incontinence, *1982*: April, 263
Cystostomy, suprapubic intubated, *1980*: June, 692–693
Cytomegalovirus, pulmonary infection with, *1980*: Aug., 924
Cytoxan. See *Cyclophosphamide*.

DAY surgery. See *Ambulatory surgery*.
Dead space, pulmonary, monitoring of, *1980*: Dec., 1438
ratio of to tidal volume, equation for, *1980*: Dec., 1438
Decision-making, surgical, reliability and reproducibility of, *1982*: Aug., **721–735**
Deglutition, normal, *1980*: Oct., 1080
Delivery, obstetric, as same-day surgery, *1982*: Aug., 699
Deltopectoral flap, for radiation wound, *1982*: April., 315
Depression, in pancreatic cancer, *1981*: Feb., 100
Dermatitis, drug-induced, *1980*: Feb., 67–69
fat deficiency and, *1980*: Feb., 41–43
Dextran 40, in prevention of pulmonary embolism, *1980*: Dec., 1344
Dextran 70, in prevention of pulmonary embolism, *1980*: Dec., 1344
Diabetes mellitus, pancreatic transplantation in, *1981*: Feb., **85–98**

Dialysis, access grafts for, infected, treatment of, *1982*: June, 528
vascular access for, *1982*: June, 538–546
Diaphragm, hernia of, congenital, *1981*: Oct., **1023–1035**
traumatic, in child, *1981*: Oct., 1192
injury to, in children, *1981*: Oct., 1191
pacing of, in quadriplegic with respiratory paralysis, *1980*: Oct., **1055–1078**
radiographic imaging of, *1980*: Aug., 737, 739; Dec., 1508–1509
rupture of, *1982*: Feb., 102
traumatic, *1980*: Aug., 972; Dec., 1546
Diarrhea, antibiotic-associated, *1980*: Feb., 70
Diathermy sphincterotome, in endoscopic sphincterotomy, *1981*: Aug., 857–858
Diet, carcinogenesis and, *1981*: June, 691–692
Digit. See also *Finger* or *Toe*.
amputated, replantation of, *1980*: Oct., 1105–1115
Dilamezinsert, *1982*: Dec., 995
Dilatation, pyloroduodenal, *1980*: April, 256–257
Diplopia, *1982*: April, 304
Discounting, principle in economic theory, *1982*: Aug., 741–742
Disinfection, of skin, acceptable agents for, *1982*: June, 517
Diuretics, for hypovolemia, *1980*: Dec., 1421
use in shock, *1982*: Feb., 27
Diverticulum, rupture of during colonoscopy, *1982*: Oct., 892
Dobbhoff nasoduodenal tube, *1982*: April, 326, 327
Documentation, in trauma care, *1980*: Oct., 1017–1020
Dolichosigmoid, in geriatric patient, *1982*: April, 250–251
Doppler stethoscope, in acute scrotal pathology, *1982*: Dec., 959–960
Doppler velocity measurements, *1982*: June, 477–478, 480, 489–491
Doxorubicin hydrochloride. See *Adriamycin*.
Drainage, closed-suction, surgical infection and, *1980*: Feb., 37
of chest, after pulmonary resection, *1980*: Dec., 1491–1492
suction, *1980*: Dec., 1492–1494
Drug abuse, vascular lesions of, *1982*: June, 383–384
Drug fever, *1980*: Feb., 66
Drugs. See also specific names.
antibacterial, reactions to, *1980*: Feb., **56–80**
cutaneous reactions, *1980*: Feb., 67–68
DTIC, for malignant melanoma, *1981*: Dec., 1252–1253, 1264
with BCG, *1981*: Dec., 1254
DTIC *(Continued)*
for malignant melanoma, with Estracyt, *1981*: Dec., 1253
Duodenojejunostomy, *1980*: April, 344
Duodenum, descending, cancer of, *1981*: Feb., **99–106**
trauma to, *1982*: Feb., 108
ulcer of, parietal cell vagotomy for, *1980*: April, **247–263**
Dysmenorrhea, as indication for vaginal hysterectomy, *1980*: April, 448–449
Dysphagia, operative palliation of, *1980*: April, **265–279**
Dysphonia, spastic, *1980*: June, 645–646
Dysplasia, fibrous, of chest wall, *1980*: Aug., 782, 783

EAR, advanced tumors of, radical neck dissection for, *1980*: June, 621–624
laceration of, *1982*: Feb., 82
Echoflow arterial imaging system, in evaluation of carotid artery, *1980*: June, 516–520
Echography. See *Ultrasonography*.
ECMO. See *Extracorporeal membrane oxygenation (ECMO)*.
Edema, capillary permeability, radiograph of, *1980*: Dec., 1515*1516
pulmonary. See *Pulmonary edema*.
Edrophonium chloride, in test for myasthenia gravis, *1980*: Aug., 933–934
EDTA, for dissolution of bile duct stones, *1982*: Oct., 830
"Effort" thrombosis, of upper extremity veins, *1982*: June, 387
Ejaculation, penile, neurophysiology of, *1982*: Dec., 1078–1079
Elbow, restoration of function in, after brachial plexus injury, *1981*: April, 343
Electrocoagulation, endoscopic, for upper gastrointestinal tract bleeding, *1982*: Oct., **797–806**
use in colonoscopic polypectomy, *1982*: Oct., 884–885
Electrolyte disorders, *1980*: Oct., 1242–1243
Electromyography, *1981*: April, 314
of urogenital diaphragm, *1982*: April, 263
Eloesser procedure, modified, *1980*: Aug., 847
Embolectomy, pulmonary. See *Pulmonary embolectomy*
Embolism, complicating percutaneous transluminal angioplasty, *1982*: June, 369
pulmonary. See *Pulmonary embolism*.
to upper extremity arteries, *1982*: June, 376–377
Embolization, percutaneous transcatheter, of renal adenocarcinoma, *1982*: Dec., 1111–1112

Emergency department, trauma care in, *1980*: Oct., **1009–1020**
Emphysema, bullous, *1980*: Aug., 857–865
angiography of, *1980*: Aug., 753
physiology of lungs in, *1980*: Dec., 1333
subcutaneous, after thoracic trauma, *1980*: Aug., 961–962
Empyema, thoracic, *1980*: Aug., 842–848
postresection, *1980*: Aug., 893
radiographic imaging of, *1980*: Aug., 739
treatment, *1980*: Dec., 1469–1470
Encephalopathy, drug-induced, *1980*: Feb., 68
Endarterectomy, carotid, stroke following, *1982*: June, 470–472
of celiac artery, *1982*: June, 349
of superior mesenteric artery, *1982*: June, 349
End-expiratory pressure, in respiratory distress, *1980*: Aug., 994–995, 996
Endocrine glands. See specific gland.
Endometriosis, of sigmoid colon, *1982*: Oct., 902
Endoscope, flexible fiberoptic, for sigmoidoscopy, *1980*: April, 465–470
in laparoscopy, *1980*: April, 409–411, 418
Endoscopic papillotomy, *1981*: Aug., 947–948
Endoscopic retrograde cannulation of the pancreas, *1981*: Aug., 930–931
Endoscopic retrograde cholangiopancreatography. See *ERCP*.
Endoscopic sphincterotomy, *1981*: Aug., 854–863
Endoscopy, extraction of common bile duct stones, *1981*: Aug., 946–947
gastrointestinal, for infected graft, *1982*: June, 523
of small bowel, *1982*: Oct., **821–824**
surgical, of gastrointestinal tract, symposium on, *1982*: Oct., **797–916**
therapeutic, of esophagus, *1982*: Oct., **807–820**
Endotoxemia, prevention of, *1980*: Dec., 1347
Endotracheal intubation, acute complications of, *1980*: Dec., 1461, 1462
difficult, after general anesthesia, *1980*: Dec., 1456
in atelectasis, *1980*: Dec., 1397–1398
in pediatric anesthesia, *1981*: Oct., 1001
in respiratory distress, *1980*: Aug., 994
indications for, *1980*: Dec., 1447
laryngeal complications, *1980*: Dec., 1473
techniques, *1980*: Dec., 1450–1456
tracheal complications, *1980*: Dec., 1473
vs. tracheostomy, *1980*: Dec., 1559
with tracheostomy, *1980*: Dec., 1361–1362
Endotracheal suctioning, for aspiration pneumonia, *1980*: Dec., 1559
for atelectasis and pneumonia, *1980*: Dec., 1396–1397
Energy requirements, formula for *1981*: June, 576
in congestive heart failure, *1981*: June, 641–642
Energy stores, *1981*: June, 509–511
Enflurane, in trauma, *1982*: Feb., 35
Enteral hyperalimentation, in renal failure, *1981*: June, 668–669
Enteral nutrition, *1981*: June, **605–620**; *1982*: April, 325–326
in congestive heart failure, *1981*: June, 644–648
in pancreatitis, *1981*: June, 704
liquid diets for, *1981*: June, 608–610
monitoring of patients, *1981*: June, 615–616
Enterocolitis, necrotizing, in neonates, *1981*: Oct., **1013–1022**
Enteroenterostomy, with hepaticojejunostomy, for biliary stricture, *1980*: April, 324–325
Enterolithotomy, for gallstone ileus, *1982*: April, 244
Enterotomy, closure of, with stapler, *1980*: April, 384–385
Entitlement, effect of on demand for surgery, *1982*: Aug., 593–594
Enzymes, pancreatic, *1981*: Feb., 49
serum, in assessment of liver function, *1982*: Feb., 200–202
Epidermal necrolysis, toxic, *1980*: Feb., 68
Epididymitis, *1982*: Dec., 962–965
ERCP, *1981*: Feb., 23–25, 101; Aug., 843–854; *1982*: Oct., **837–844**
after common duct diversion, *1981*: Aug., 853–854
in acute sclerosing cholangitis, *1982*: Aug., 955
in choledocholithiasis, *1981*: Aug., 898–899
of pancreas, *1981*: Feb., 23, 101
Erection, penile, neurophysiology of, *1982*: Dec., 1077
Erythema multiforme, *1980*: Feb, 67
Erythromycin, use in patients with hepatic dysfunction, *1982*: April, 335
Erythromycin estolate, hepatotoxicity of, *1980*: Feb., 73
Esophageal transection, for bleeding varices, *1980*: April, 291
Esophageal varices. See *Esophagus, varices*.
Esophagitis, reflux. See *Gastroesophageal reflux*.
Esophagogastrostomy, for carcinoma of esophagus and cardia, *1980*: April, **265–279**

Esophagography, with fluoroscopy, *1980*: Aug., 717–718
Esophagus, atresia of, *1981*: Oct., **1051–1061**
carcinoma of, endoprosthesis for, *1982*: Oct., 807–812
esophagogastrectomy for, *1980*: April, **265–279**
perforation of, *1980*: Aug., 974; Dec., 1546–1547; *1982*: Feb., 102
stricture of, in infants and children, *1981*: Oct., 1110
trauma to, in children, *1981*: Oct., 1190
varices of, bleeding, *1981*: Feb., **209–219**
nonshunting procedures for, *1980*: April, **281–295**
transection for, *1980*: April, 291
endoscopic injection sclerosis for, *1982*: Oct., 812–818
Estracyt, for malignant melanoma,with DTIC, *1981*: Dec., 1253
Estrogen, vaginal creams with, for urinary incontinence in women, *1982*: April, 268
Examination, of trauma patient, initial, *1982*: Feb., 9
neurologic, *1982*: Feb., 14
Exfoliative dermatitis, drug-induced, *1980*: Feb., 67
Extracorporeal membrane oxygenation (ECMO), in acute respiratory failure, *1980*: Dec., 1408
Exudation, inflammatory response and, *1980*: Feb., 100–101
Eye, globe of, trauma to, anesthetic considerations in, *1982*: Feb., 42
injuries to, in severely injured patient, *1982*: April, **301–308**
Eyelids, wounds of, *1982*: Feb., 82

FACE, gunshot wound of, *1982*: Feb., 94–95
soft tissue injury of, *1982*: Feb., 78–82
Facial nerve, paralysis of, iatrogenic, *1980*: June, **629–635**
preservation of, in removal of acoustic neuroma, *1980*: June, **565–591**
Fallot, tetralogy, correction of, *1981*: Oct., 1066
False aneurysmorrhaphy, *1982*: June, 437–438
Fanconi syndrome, *1980*: Feb., 74
Fat(s), deficiency, with intravenous hyperalimentation, *1980*: Feb., 41–43
Fat embolism syndrome, respiratory system dysfunction in, *1980*: Dec., 1385
Fat emulsion, in intravenous nutrition, *1981*: June, 515
Fat requirements, in congestive heart failure, *1981*: June, 643
Fatty acid deficiency, with parenteral nutrition in children *1981*: Oct., 1097
Federal legislation, and future of surgical practice, *1982*: Aug., **771–779**
Femoral-femoral bypass graft, *1980*: June, **537–544**
Femoral-popliteal and femoral-tibial artery bypasses, *1980*: June, **527–535**
Fetus, surgery of, *1981*: Oct., 1033
Fibroma, mediastinal, *1980*: Aug., 771
Fibrosarcoma, mediastinal, *1980*: Aug., 771
Fibrosis, pulmonary, characterization of, *1980*: Dec., 1379
Filter effect, *1980*: Dec., 1547–1548
Fine needle biopsy. See *Biopsy, fine needle*.
Finger. See also *Phalanx(ges)*.
congenital aplasia of, reconstruction, *1981*: April, **407–424**
replantation of, *1981*: April, **383–394**
Fingernail, anatomy, *1981*: April, 239
wounds of, *1981*: April, 247
Fingertip, amputation of, *1981*: April, 249–254
injuries of, *1981*: April, **237–266**
skin of, *1981*: April, 238
Fistula, bronchopleural, following pulmonary resection, *1980*: Aug., 892–893
treatment, *1980*: Dec., 1468–1469
gastrointestinal. See *Gastrointestinal fistula*.
of tracheal innominate artery, *1980*: Dec., 1478–1479
tracheoesophageal, acquired, *1980*: Dec., 1476–1478
Flag flap, for finger, *1981*: April, 254
Flail chest, *1980*: Aug., 962–964, *1982*: Feb., 100
treatment of, *1980*: Dec., 1544
Flap. See also specific type.
for forearm coverage, *1981*: April, 294
free, in hand reconstruction, *1980*: Oct., 1115–1117
musculocutaneous, in head and neck reconstruction, *1980*: Oct, **1187–1199**
Flexi-Rod prosthesis, *1982*: Dec., 991, 992
Flexor tendon, of hand, injuries of, *1981*: April, **267–286**
repair techniques, *1981*: April, 276–279
Fluids, administration, for burns, *1980*: Oct., 1021–1026
for maintenance of pulmonary perfusion, *1980*: Dec., 1369–1370
electrolytes and, intraoperative, in children, *1981*: Oct., 1002
for shock, *1980*: Dec., 1419–1421
management of in acute respiratory failure, *1980*: Dec., 1410–1411
overload, and pulmonary pathophysiology, *1980*: Dec., 1331–1332
prevention of, *1980*: Dec., 1345–1346

Fluid resuscitation, *1982*: Feb., 33
intraoperative, *1982*: Feb., 37
5-Fluorodeoxyuridine, for large bowel cancer, *1981*: Dec., 1315
Fluoroscopy, of chest, *1980*: Aug., 717–719
5-Fluorouracil. See *5-FU*.
Folacin, *1981*: June, 504–505
Folic acid, *1981*: June, 504–505
Foreign bodies, intrathoracic, *1980*: Aug., 968–969
Fractures, blood loss associated with, *1980*: Oct., 1124
diagnosis and management, in multiply injured patient, *1980*: Oct., **1121–1131**
facial, airway maintenance in, *1982*: Feb., 32
radiography of, *1982*: Feb., 77
mandibular, *1982*: Feb., 84, 86–87, 89
maxillary, *1982*: Feb., 89–90
nasal, *1982*: Feb., 92
nasoethmoid, *1982*: Feb., 92–94
of clavicle, *1980*: Aug., 962
of distal phalanx, *1981*: April, 257
of frontal sinus, *1982*: Feb., 94
of hand, *1980*: June, 676–680
of rib, *1980*: Aug., 962
as cause of ventilatory impairment, *1982*: Feb., 98
of skull, basilar, *1982*: Feb.. 48
compound depressed, *1982*: Feb., 55–56
of sternum, *1980*: Aug., 964
of zygoma and orbit, *1982*: Feb., 90–92
traumatic, *1982*: Feb., 14–15
Free pedicle flap, for radiation wound, *1982*: April, 316–317
Frontal sinus, fracture of, *1982*: Feb., 94
Frostberg sign, *1981*: Feb., 20
5-FU, for large bowel carcinoma, *1981*: Dec., 1297–1299, 1315–1317
effectiveness, *1981*: Dec., 1321–1329
prolonged intermittent therapy with, *1981*: Dec., 1317–1318
toxicity of, *1981*: Dec., 1323
methyl-CCNU and, for large bowel cancer, studies of effectiveness, *1981*: Dec., 1328
for rectal carcinoma, *1981*: Dec., 1318–1319
plus MER, for large bowel cancer, *1981*: Dec., 1319
Fulminant hepatic failure, *1981*: Feb., 225
Functional residual capacity, after operation or trauma, *1980*: Dec., 1329–1330
in pulmonary pathophysiology, *1980*: Dec., 1324, 1326
Fungus ball, *1980*: Aug. 908–909
Fungus, of chest, *1980*: Aug., **897–912**
GALLBLADDER complications, in TPN, *1981*: June, 676
Galbladder disease, ultrasound and CT for, *1981*: Aug., 794–795
Gallium scanning, for intra-abdominal abscess, *1982*: April, 231–232
in pulmonary disease, *1980*: Aug. 745
Gallstone, cholesterol, pathogenesis, *1981*: Aug., **765–774**
endoscopic removal, *1981*: Aug., 857–858
medical treatment of, *1981*: Aug., **865–874**
percutaneous extraction, *1981*: Aug., 783
Gallstone ileus, *1982*: April, **241–247**
Gallstone pancreatitis, *1981*: Aug., **923–938**
Gamma glutamyl transpeptidase, serum, *1981*: Feb., 201
Ganglioneuroblastoma, *1981*: Oct., 1228
mediastinal, *1980*: Aug., 765
Ganglioneuroma, *1981*: Oct., 1228
mediastinal, *1980*: Aug., 765
Gangrene, gas, *1980*: Feb., 57
red shock syndrome with, *1980*: Feb., 166–170
Gastrectomy, nutritional problems after, *1981*: June, 726–727
Gastrostomy feeding, *1982*: April, 326
Gastroduodenal ulceration, acute, severe burn injury and, *1980*: Oct., 1029–1031
Gastroesophageal reflux, after repair of esophageal atresia, *1981*: Oct., 1058
in infants and children, *1981*: Oct., **1101–1115**
Gastrointestinal disease, nutritional support in, *1981*: June, **701–708**
Gastrointestinal fistula, after trauma, *1981*: June, 676
nutritional support in, *1981*: June, 706–707
Gastrointestinal tract, barium studies of, *1981*: Feb., 19–22
drug-reactions, *1980*: Feb., 71
endogenous microflora, *1980*: Feb., 197–198
hemorrhage, pancreatitis and, *1981*: Feb., 76
short bowel syndrome, *1980*: Oct., **1273–1284**
surgery, staplers in, *1980*: April, **381–397**
surgical infection of, *1980*: Feb., **197–212**
upper, bleeding in, electrocoagulation for, *1982*: Oct., **797–806**
Gastropexy, Boerema anterior, *1981*: Oct., 1109
Gastroschisis, *1981*: Oct., **1037–1049**
Gastrostomy, use of stapler in, *1980*: April, 393–394
Gender identity, in child, *1982*: Dec., 945
Genital tract, female, surgical infections of, *1980*: Feb., 57, **233–240**

Genital tract *(Continued)*
surgery of, elective, at one year of age, *1982*: Dec., **941–953**
in boys, emotional consequences of, *1982*: Dec., 942–943
Genitourinary tract, cancer of, adjuvant therapy for, *1981*: Dec., **1331–1346**
Gentamicin, for intra-abdominal abscess, *1982*: April, 234
Gentamicin sulfate, *1980*: Feb., 190
Geriatric patient, acquired megacolon in, *1982*: April, 250
back ailments in, *1982*: April, **291–295**
colon volvulus in, *1982*: April, **249–260**
dolichosigmoid in, *1982*: April, 250–251
orthopedic, morbidity and mortality, *1982*: April, 297–300
urinary incontinence in, *1982*: April, **261–274**
Germ cell tumor. See *Tumor, germ cell* and *Tumor, testicular*.
Gerota's fascia, *1982*: Dec., 1049–1050
Giordano-Giovanetti diet, *1982*: April, 329
Glasgow coma scale, *1982*: Feb., 49
Glomerular filtration rate, *1981*: June, 663
Glomerulonephritis, drug-induced, *1980*: Feb., 74
Glucagon, *1981*: Feb., 52
Glucose-6-phosphate dehydrogenase deficiency, *1980*: Feb., 77
Goiter, intrathoracic, *1980*: Aug., 772
Gonadal venography, in localization of undescended testes, *1980*: Oct., **1253–1263**
Gortex (polytetrafluoroethylene), as vascular graft, *1982*: June, 504–505, 546
Graduate Medical Education National Advisory Committee (GMENAC), *1982*: Aug., 777
Grafts. See also *Prostheses*.
aortofemoral, infected, *1982*: June, 520
aortoiliac, infected, *1982*: June, 520
treatment of, *1982*: June, 527–528
aortoiliofemoral, infected, treatment of, *1982*: June, 528
axillofemoral, infected, treatment of, *1982*: June, 528
brachial-radial-ulnar, infected, treatment of, *1982*: June, 527
carotid artery, infected, treatment of, *1982*: June, 527
crossover saphenous vein, *1982*: June, 393, 394
femoral, infection of, diagnosis, *1982*: June, 520–522
femoropopliteal, infected, treatment of, *1982*: June, 528
innominate-subclavian-axillary, infected, treatment of, *1982*: June, 527
prosthetic, materials for, advantages and disadvantages, *1982*: June, 511
Grafts *(Continued)*
synthetic vascular, infection of, CT detection, *1982*: Dec., 927
umbilical vein, *1982*: June, 504–505, 546
vascular, current status, *1982*: June, 501–513
Gram-negative pneumonia, in surgical patient, *1980*: Feb., 179–181
Great vessels, trauma to, *1980*: Aug., 978–980; 1547, *1982*: Feb., 102
Greenfield vena caval filter, *1982*: June, 415–420
Groin flap, for radiation wound, *1982*: April, 315
Gross national product (GNP), per cent spent on health care, *1982*: Aug., 634–635
Group practice, prepaid, definition of, *1982*: Aug., 678
Group practice network, definition of, *1982*: Aug., 678
Gruntzig balloon, *1982*: June, 357–358
Growth retardation, inflammatory bowel disease with, TPN in, *1981*: June, 703
Gunshot wound, abdominal, *1982*: Feb., 107
of face, *1982*: Feb., 94
of kidney, *1982*: Dec., 1051

HALOTHANE, in trauma, *1982*: Feb., 35
Hand, acute injuries of, management, *1980*: June, **665–685**
flexor tendon of, injuries, *1981*: April, **267–286**
hemiplegic spastic, in cerebral palsy, surgery for, *1981*: April, **395–406**
implant arthroplasty in, *1981*: April, **369–382**
microsurgical reconstruction, *1980*: Oct., **1105–1119**
nerves of, coaptation, *1981*: April, 325–327, 330
repair, *1981*: April, **321–340**
primary versus secondary, *1981*: April, 322–324
nerve grafts in, *1981*: April, 331–332
neurolysis in, *1981*: April, 336
paratenon of, *1981*: April, 269
practical surgery of, symposium on, *1981*: April, **237–426**
tendons of, anatomic nomenclature, *1981*: April, 267–268
Hamartoma, *1982*: Oct, 862
pulmonary, *1980*: Aug., 826–827
malignant transformation of, *1980*: Aug., 829–830
Harrington instrumentation, in stabilization of spinal injuries, *1980*: Oct., 1043–1046

Harris-Benedict formula, *1981*: June, 552, 641
Head, and neck, reconstruction of, musculocutaneous flaps in, *1980*: Oct., **1187–1199**
injury to, *1982*: Feb., **47–60**
anesthesia in, *1982*: Feb., 42
intubation in, *1982*: Feb., 32–33
Health care, per cent of GNP spent on, *1982*: Aug., 634–635
surgical, delivery of, symposium on, *1982*: Aug., **557–794**
Health maintenance organization (HMO), definition of, *1982*: Aug., 677
patient satisfaction in, *1982*: Aug., 681
quality of surgical care in, *1982*: Aug., 679–680
Health Planning Act of 1974, priorities of, *1982*: Aug., 773–775
Heart. See also *Cardiac*.
complex congenital defects of, valved conduit repair, *1980*: Oct., **1225–1237**
failure, cause of, *1980*: Dec., 1565–1566
congestive, in neonates, *1981*: Oct., 1068
diagnosis of, *1980*: Dec., 1566–1567
during ventilatory therapy, management of, *1980*: Dec., 1368–1369
therapy for, *1980*: Dec., 1568
function of, impairment in deep shock, *1982*: Feb., 22
surgery, in neonates, *1981*: Oct., **1063–1078**
trauma to, *1980*: Aug., 976–977
Heinz body hemolytic anemias, *1981*: Feb., 118
Hemangioendothelioma, hepatic, in children, *1981*: Oct., 1216
Hemangioma, hepatic, cavernous, *1981*: Feb., 182–184
in children, *1981*: Oct., 1216
mediastinal, *1980*: Aug., 771
Hematologic disease, splenectomy for, *1981*: Feb., **117–125**
Hematologic reactions, to antibacterials, *1980*: Feb., 75–77
Hematoma, intracranial, *1982*: Feb., 55
Hemobilia, *1981*: Aug., **973–979**
Hemoglobinopathy, splenectomy for, *1981*: Feb., 119
Hemolytic anemia, autoimmune, *1981*: Feb., 118
drug-induced, *1980*: Feb., 77
Heinz body, *1981*: Feb., 118
Hemoptysis, secondary to tuberculosis, *1980*: Aug., 890–892
Hemorrhage, after colonoscopic polypectomy, *1982*: Oct., 894
as complication of laparoscopy, *1980*: April, 423
Hemorrhage *(Continued)*
esophageal variceal, endoscopic injection sclerosis for, *1982*: Oct., 812–818
nonshunting procedures for, *1980*: April, **281–295**
from fracture sites, *1980*: Oct., 1124
gastrointestinal, with pancreatitis, *1981*: Feb., 76
in liver disorders, *1981*: Aug., **973–979**
inflammatory response and, *1980*: Feb., 101–102
massive, colonic, *1980*: Oct., **1297–1304**
emergency care, *1980*: Oct., 1013
nasal, *1982*: Feb., 75–76
occult, *1982*: Feb., 15
uterine, as indication for vaginal hysterectomy, *1980*: April, 448–449
variceal, shunts for, *1980*: Oct., **1265–1272**
Hemothorax, after trauma, *1980*: Aug., 966–968
in infants and children, *1981*: Oct., 1188
massive, treatment of, *1980*: Dec., 1544–1545; *1982*: Feb., 100
Henoch-Schönlein purpura, *1982*: Dec., 967
Heparin, low dose, in prevention of pulmonary embolism, *1980*: Dec., 1344, 1345
Hepatectomy, *1980*: April, 349–367
Hepatic. See also *Liver*.
Hepatic dysfunction, use of antimicrobial agents in, *1982*: April, **333–340**
Hepatic encephalopathy, *1981*: June, 654–655
nutritional support, *1981*: June, 658–659
Hepatic-enteric anastomosis, in bile duct, carcinoma, *1981*: Aug., 984
Hepatic failure. See *Liver, failure*.
Hepaticojejunostomy, for biliary stricture, *1980*: April, 324–325
with intubation, *1980*: April, 303–309
Hepatitis, viral, neonatal, versus biliary atresia, *1981*: Aug., 988–991
Hepatitis B virus, carcinoma and, *1981*: Feb., 171
Hepatocellular, dysfunction, *1981*: Feb., 221
Hepatocytic adenomas, *1981*: Feb., 185
Hereditary spherocytosis, splenectomy for, *1981*: Feb., 117
Hernia, Bochdalek, *1980*: Aug., 737, 738
diaphragmatic, congenital, *1981*: Oct., **1023–1035**
traumatic, in children, *1981*: Oct., 1192
hiatal, *1980*: Aug., 737
inguinal, in infants and children, *1981*: Oct., 1137–1140
Morgagni, *1980*: Aug., 737
Herniation, transtentorial, *1982*: Feb., 51, 53

Herpes simplex virus, pulmonary infection, in compromised patient, *1980*: Aug., 924
Hickman catheter, in total parenteral nutrition, *1982*: June, 532, 535–537
  placement of, *1981*: June, 623
High risk patients, preoperative pulmonary assessment of, *1980*: Dec., *1349–1357*
  pulmonary complications in, prevention of, *1980*: Dec., **1359–1370**
Histoplasmoma, *1980*: Aug., 901
Histoplasmosis, mediastinal, *1980*: Aug., 901–902
  pericardial, *1980*: Aug., 902
  pulmonary, *1980*: Aug., 899–901
    in compromised patient, *1980*: Aug., 919
HMO. See *Health maintenance organization*.
Hodgkin's disease, laparotomy for staging of, *1980*: April, **369–379**
  splenectomy for staging of, *1980*: April, 371–373
  staging of, *1980*: April, 370–371; *1981*: Feb., 121
Home parenteral nutrition, *1981*: June, **621–633**
Hormones. See also specific hormone.
  effects on pancreatic secretion, *1981*: Feb., 50–52
  in metabolic adjustments of sepsis, *1981*: June, 683–684
Hospitals, categorization of for trauma care, *1982*: Feb., 3–4
Host defense. See also *Immune response*.
  in cancer patient, *1980*: Feb., 148–151
  in surgical infections, *1980*: Feb., **107–116**
  surgical intensive care and, *1980*: Feb., 126–129
Human chorionic gonadotropin, as marker for cancer, *1981*: Dec., 1332
    in testicular tumors, *1982*: Dec., 1120–1121
Hydrocele, in infants and children, *1981*: Oct., 1140–1142
Hydrocephalus, communicating, after head injury, *1982*: Feb., 59
Hyperalimentation. See also *Enteral nutrition*; *Intravenous hyperalimentation*; *Nutrition, total parenteral*; and *Parenteral nutrition*.
  intravenous. See *Intravenous hyperalimentation*.
  parenteral, in infants and children, *1981*: Oct., 1093–1094
Hyperammonemia, during TPN, *1980*: Oct., 1246
Hypercoagulation, of proximal deep veins, *1982*: June, 387
Hyperkalemia, treatment, *1980*: Oct., 1162–1163
Hypermenorrhea, as indication for vaginal hysterectomy, *1980*: April, 448–449
Hyperparathyroidism, primary, diagnosis and treatment, *1980*: Oct., **1285–1295**
  symptomatic, *1982*: April, **225–228**
Hypersensitivity response, as predictor of sepsis, *1980*: Feb., 151–153
Hypersplenism, with malignant hemopathies, *1981*: Feb., 120
Hypertension, intracranial, *1982*: Feb., 56–58
  pulmonary artery, congenital diaphragmatic hernia and, *1981*: Oct., 1031
  renal, as result of renal trauma, *1982*: Dec., 1060
    surgical procedures for, *1980*: June, **487–501**
Hyperthermia, malignant, in pediatric surgery, *1981*: Oct., 1007
Hypomagnesemia, with parenteral nutrition in children, *1981*: Oct., 1096
Hypospadias, repair of, in infant, *1982*: Dec., 949–950
Hypothenar hammer syndrome, *1982*: June, 383
Hypothermia, in trauma patient, *1982*: Feb., 39–40
  posttransfusion, *1982*: Feb., 13
Hypoventilation, after general anesthesia, *1980*: Dec., 1449
Hypovolemia, correction of, after shock, *1980*: Dec., 1419–1421
Hypoxemia, neonatal, oxygen for, *1980*: Dec., 1524
  of blood perfusing lung, *1980*: Dec., 1324–1325
Hysterectomy, fictional case history, use in study of surgical decision-making, *1982*: Aug., 725–726
  vaginal, *1980*: April, **437–449**
Hysterometer, *1980*: April, 303

ICTERUS. See *Jaundice*.
Idiopathic thrombocytopenic purpura, *1981*: Feb., 119
^{125}I fibrinogen scanning, of leg, *1982*: June, 492
Ileal conduit, in infants and children, *1981*: Oct., 1148
Ileal loop, for urinary diversion, *1980*: June, 694–696
Ileocecal bladder, *1980*: June, 698
Ileocecal conduit, antirefluxing, *1982*: Dec., **999–1006**
  in children, *1981*: Oct., 1152
Ileocecal loop, *1980*: June, 698, 699
Ileocecal valve, entrance into by colonoscope, *1982*: Oct., 875
Ileostomy stoma, intubation of with colonoscope, *1982*: Oct., 912

Ileum, construction of ureter from, *1982*: Dec., 1016
Immune hemolytic anemia, drug-induced, *1980*: Feb., 77
Immune response, after trauma, *1980*: Feb., 142; *1982*: Feb., **167–181**
  immunomodulators and, *1980*: Feb., 115
  nutrition and, *1980*: Feb., 114–115; *1981*: June, **557–570**
  of cancer patient, *1980*: Feb., 148–151
  plasma therapy and, *1980*: Feb., 110–114
  surgical infection and, *1980*: Feb., **107–116**
  survey of, in high-risk cancer patient, *1980*: Feb., 154–157
  testing of, in nutritional assessment, *1981*: June, 459–460
Immunocompromised host, cryptococcosis in, *1980*: Aug., 914
  cytomegalovirus infection in, *1980*: Aug., 924
  mycobacterial tuberculous infection in, *1980*: Aug., 921–922
Immunoglobulins, in malnutrition, *1981*: June, 563–564
Immunologic testing, in nutritional assessment, *1981*: June, 459–460
Immunomodulators, immune response and, *1980*: Feb., 115
Immunotherapy, for colonic and rectal carcinoma, *1981*: Dec., 1306–1307
  for lung cancer, *1980*: Aug., 809
  for malignant melanoma, *1981*: Dec., 1249–1252
    combined with chemotherapy, *1981*: Dec., 1253–1254
  for renal carcinoma, *1982*: Dec., 1112–1113
  specific, for malignant melanoma, *1981*: Dec., 1252
Impotence, surgery for, *1982*: Dec., **981–998**
IMV. See *Intermittent mandatory ventilation (IMV)*.
Incontinence, anal, surgical management of, *1980*: April, **457–463**
  urinary, in geriatric patient, *1982*: April, **261–274**
  urinary stress, *1980*: April, **425–435**; *1982*: Dec., **1035–1045**
Independent practice association, definition of, *1982*: Aug., 678
Indium-111 leukocyte scanning, for intra-abdominal abscess, *1982*: April, 232
Indocyanine green, *1981*: Feb., 198
Infants. See also *Children*.
  abdominal wall defects in, *1981*: Oct., **1037–1049**
  appendicitis in, *1981*: Oct., 1122
  biliary atresia in, *1981*: Oct., **1079–1088**
  cardiac surgery in, *1981*: Oct., **1063–1078**
Infants *(Continued)*
  chest wall deformities in, *1981*: Oct., **1199–1207**
  chloramphenicol toxicity in, *1980*: Feb., 67
  diaphragmatic hernia in, *1981*: Oct., **1023–1035**
  esophageal atresia and tracheoesophageal fistula in, *1981*: Oct., **1051–1061**
  gastroesophageal reflux in, *1981*: Oct., **1101–1115**
  inguinal hernia and hydrocele, in, *1981*: Oct., **1137–1145**
  intubation of airway, *1980*: Dec., 1528–1530
  jaundice in, *1981*: Oct., 1080
  liver tumors in, *1981*: Oct., **1209–1217**
  male, genital surgery in, timing of, *1982*: Dec., 941–953
  necrotizing enterocolitis in, *1981*: Oct., **1013–1022**
  newborn, anesthesia in, *1981*: Oct., **997–1012**
    biliary obstruction in, *1981*: Aug., 987–992
  parenteral nutrition in, *1981*: Oct., **1089–1100**
    inguinal hernia in, *1981*: Oct., 1144
  respiration in, physiology, *1980*: Dec., 1520–1522
  respiratory distress in, clinical assessment of, *1980*: Dec., 1522–1523
    monitoring, *1980*: Dec., 1523–1524
  respiratory support in, *1980*: Dec., **1519–1532**
  surgery in, See also specific disorders.
    cardiovascular physiology and, *1981*: Oct., 1003
    respiratory physiology and, *1981*: Oct., 1003
    thermoregulation in, *1981*: Oct., 1003
  thoracic trauma in, *1981*: Oct., 1191
  tracheostomy in, *1980*: Dec., 1531
Infection, anaerobic, *1980*: Feb., **49–63**
  carcinoma and, *1980*: Feb., **145–149**
  inflammatory response and, *1980*: Feb., **93–105**
  musculoskeletal, *1980*: Feb., **213–222**
  nutrition and, *1980*: Feb., 151
  of vascular prostheses, *1982*: June, **515–530**
  opportunistic, of lung, *1980*: Aug., **913–930**
  postsplenectomy, *1981*: Feb., **135–155**
  pulmonary, in surgical patient, *1980*: Feb., 175–183
  surgical. See also organ or region involved.
    aseptic techniques and, *1980*: Feb., 31–37
    bacterial, *1980*: Feb., 118–120

Infection *(Continued)*
surgical, epidemiology of, *1980*: Feb., **27–40**
host defense in, *1980*: Feb., **107–116**
incidence, and cost of, *1980*: Feb., **15–25**
intensive care and, *1980*: Feb., **117–132**
nutrition and, *1980*: Feb., **41–47**
of female genital tract, *1980*: Feb., **233–240**
perspectives in, *1980*: Feb., **5–13**
prophylactic antibiotics and, *1980*: Feb., **83–92**
pulmonary, *1980*: Feb., **175–183**
urinary tract, *1980*: Feb., **223–231**
trauma and, *1980*: Feb., **133–144**
with central parenteral nutrition, *1981*: Oct., 1098
Infectious mononucleosis, *1980*: Feb., 67
Inflammatory bowel disease. See also specific disease.
colonoscopic diagnosis of, *1982*: Oct., **905–913**
fistulas in, TPN for, *1981*: June, 706
in children, *1981*: Oct., **1125–1135**
with growth retardation, TPN in, *1981*: June, 703
Inflammatory response, in local infections, *1980*: Feb., **93–105**
Inguinal hernia, in infants and children, *1981*; Oct., 1137–1140
Inhalation injury, complications, *1980*: Dec., 1539–1540
diagnosis and treatment, *1980*: Oct., 1026–1029; Dec. 1535–1539
pathophysiology, *1980*: Dec., 1534
xenon 133 lung scan for, *1980*: Dec., 1536
Injuries. See *Trauma; Wounds*; and names of organs.
"Inkwell" procedure, *1980*: April, 272
Inotropes, use in shock, *1982*: Feb., 27
Insensible water loss, in renal failure, *1980*: Oct., 1161
Institutional Differences Study, *1982*: Aug., 786
Intensive care unit, in acute respiratory distress syndrome, *1980*: Dec., **1413–1426**
surgical, infection control in, *1980*: Feb., **117–132**
transfer of trauma patient to from operating room, *1982*: Feb., 43
Intermittent mandatory ventilation (IMV), devices for, *1980*: Dec., 1432
for respiratory distress, *1980*: Aug., 994
in neonate, *1980*: Dec., 1526–1527
in acute respiratory failure, *1980*: Dec., 1409, 1422
weaning from, *1980*: Aug., 996–998; Dec., 1409–1410
Intermittent positive-pressure breathing (IPPB), devices for, *1980*: Dec., 1434
for atelectasis, *1980*: Dec., 1395–1396
for pneumonia, *1980*: Dec., 1395–1396
for pulmonary complications, *1980*: Dec., 1340–1341
Interposition, colonic, after esophagogastrectomy, *1980*: April, 276–278
Intervertebral disk, ruptured, surgical treatment, *1980*: June, 650–657
Intestinal stenosis, in neonatal necrotizing enterocolitis, *1981*: Oct., 1019
Intestine(s). See also specific parts and names of disorders.
bacterial overgrowth syndromes, *1980*: Feb., 60
inflammatory disease, in children, *1981*: Oct., **1125–1135**
surgery of, use of stapler, in, *1980*: April, 383–393
Intima, of proximal upper extremity veins, injury to, *1982*: June, 386–387
Intra-abdominal abscess, in critically ill patient, *1982*: April, **229–239**.
percutaneous aspiration and drainage of, *1982*: April, 236–237
postsurgical, *1980*: Feb., 57, **197–212**
Intra-aortic balloons, insertion and removal, *1980*: June, **545–554**
Intracranial pressure, increased, acute respiratory distress syndrome and, *1980*: Dec., 1424–1425
Intrapulmonary shunt fraction ($\dot{Q}_s/\dot{Q}_t$), equation for calculating, *1980*: Dec., 1406
Intravenous cholangiography, *1981*: Aug., 777
in pancreatitis, *1981*: Aug., 929–930
Intravenous hyperalimentation, complications, *1981*: June, 590–591
development, *1981*: June, **429–435**
fat-deficiency with, *1980*: Feb., 41–43
techniques, *1981*: June, **583–592**
to prevent postsurgical malnutrition, *1981*: June, 725
Intravenous nutrition, adenosine triphosphate in, *1981*: June, 515
amino acids in, *1981*: June, 515
carbohydrates in, *1981*: June, 514
fat emulsion in, *1981*: June, 515
in sepsis, formulas for, *1981*: June, 687–688
Intubation, blind nasotracheal, *1980*: Dec., 1455–1456
endotracheal. See *Endotracheal intubation*.
in patient with head injury, *1982*: Feb., 32–33
of airway, neonatal, *1980*: Dec., 1528–1530
of sigmoid, *1980*: April, 471–479

Intubation *(Continued)*
orotracheal, *1980*: Dec., 1452–1455
techniques of, in biliary tract surgery, *1980*: April, **297–312**
Iodine-125 seeds, for early stage prostatic cancer, *1980*: Oct., **1215–1223**
IPPB. See *Intermittent positive-pressure breathing (IPPB)*.
Irradiation. See *Radiation therapy*.
Ischemia, visceral, chronic, *1982*: June, **345–356**
Ischemic colitis, endoscopic appearance, *1982*: Oct., 909.
Islet cell, adenoma, angiographic findings with, *1981*: Feb., 42
transplantation of, *1981*: Feb., 91–95
Isoflurane, in trauma, *1982*: Feb., 35
Isoniazid, for lung cancer, *1981*: Dec., 1291
hepatic toxicity of, *1980*: Feb., 72

JAUNDICE, cholangiography in, *1981*: Aug., 846
cholestatic, TPN-related, *1980*: Oct., 1247–1248
in newborns, *981*: Oct., 1080
in periampullary cancer, *1981*: Feb., 99
postinjury, *1982*: Feb., 157–158
visualization of biliary ductal system in, *1981*: Aug., 836–838
Jejunostomy, fine needle catheter, in postsurgical malnutrition, *1981*: June 724–725
Jejunostomy feeding, *1982*: April, 326–327
Joint, floating, *1980*: Oct., 1129
Joint replacement, articulated, *1981*: April, 371–372
Jonas prosthesis, *1982*: Dec., 991, 992

KEGEL exercises, *1982*: April, 268
Kehr's sign, *1981*: Feb., 3
Keofeed nasoduodenal tube, *1982*: April, 326, 327
Ketamine, in trauma, *1982*: Feb., 35
Kidney. See also *Renal*.
acute failure, *1980*: Oct., **1151–1166**
following crush injury, *1982*: Feb., 145–146
in cardiovascular surgical patient, *1980*: Oct., 1158–1161
treatment of, *1982*: Feb., 146–147
adenocarcinoma of, *1982*: Dec., **1101–1118**
anatomy of, *1982*: Dec., 1049
concentrating capacity of, postoperative impairment, *1982*: Feb., 141–143
drug-reactions, *1980*: Feb., 73–75

Kidney *(Continued)*
failure, in respiratory failure, *1980*: Dec., 1423–1424
nutritional support in, *1981*: June, **661–670**; *1982*: April, 328–329
trauma to, *1982*: Dec., 1049–1062
classification of, *1982*: Dec., 1057–1058
with pancreatic trauma, *1982*: Dec., 1055
vascular pedicle repair of, questionable success of, *1982*: Dec., 1060–1062
Klebsiella infection, surgical, incidence of, *1980*: Feb., 19
Kocher manuever, *1980*: April, 270, 317–320, 334, 337
Kwashiorkor, *1981*: June, 438

LABORATORY tests. See also *Tests*.
antibiotic influence on, *1980*: Feb., 78
Lactic dehydrogenase, serum, *1981*: Feb., 201
Laminectomy, multi-level, *1980*: Oct., 1041–1043
Langerhans, islet cells of. See *Islet cells*
Laparoscope, *1980*: April, 409–411, 418
Laparoscopy, *1980*: April, **407–424**
Laparotomy, for staging Hodgkin's disease, *1980*: April, **369–379**
Large bowel, carcinoma, adjuvant therapy, *1981*: Dec., 1311–1320
BCG for, *1981*: Dec., 1298
chemo-immunotherapy for, *1981*: Dec., 1319
5-fluorodeoxyuridine for, *1981*: Dec., 1315
5-FU for, *1981*: Dec., 1297–1299, 1315–1317
after palliative resection, *1981*: Dec., 1326
effectiveness of, *1981*: Dec., **1321–1329**
preoperative radiotherapy for, *1981*; Dec., 1313–1315
principles of operation for, *1981*: Dec., 1296
prolonged intermittent 5-FU for, *1981*: Dec., 1317–1318
recurrence and death rates after curative resection, *1981*: Dec., 1323–1326
Thiotepa for, *1981*: Dec., 1297, 1315
unfavorable prognostic signs, *1981*: Dec., 1317
Laryngectomy, voice restoration after, *1980*: June, 641–645
Larynx, fracture of, *1982*: Feb., 32
pharynx and, paralysis of, *1980*: Oct, **1079–1092**

Larynx *(Continued)*
stenosis of, *1980*: June, 646–647
surgery of, new techniques, *1980*: June, **637–647**
Laser surgery, in laryngeal disease, *1980*: June, 637–638
Lateral nerve root entrapment, *1982*: April, 292
Lavage, peritoneal. See *Peritoneal lavage*.
LeForte classification of maxillary fractures, *1982*: Feb., 89
Leucine aminopeptidase, *1981*: Feb., 200
Leukocytes, in malnutrition, *1981*: June, 564–565
Leukopenia, drug-induced, *1980*: Feb., 76
Levamisole, for lung cancer, *1981*: Dec., 1291, 1292
for malignant melanoma, *1981*: Dec., 1252
Ligation, for bleeding esophageal varices, *1980*: April, 283–286
Lincomycin, use in patients with hepatic dysfunction, *1982*: April, 335
Lipid deficiency, with intravenous hyperalimentation, *1980*: Feb., 41–43
Lipid system, in peripheral parenteral nutrition, *1981*: June, 595–597
Lipoma, mediastinal, *1980*: Aug., 771
Liposarcoma, mediastinal, *1980*: Aug., 771
Liver, abnormalities, during TPN, *1980*: Oct., 1247–1248
abscess of, percutaneous drainage of, *1981*: Feb., **157–167**
anatomic variations of, *1980*: April, 350–357
bile duct carcinoma, *1981*: Feb., 175
biopsy of, for staging Hodgkin's disease, *1980*: April, 371
carcinoma of, *1981*: Feb., **169–180**
CT and ultrasound examination of, *1981*: Aug., 808, 812
decompression of, *1980*: Oct, **1305–1314**
disease. See also *Jaundice*.
nutritional support in, *1981*: June, **653–660**
drug-reactions, *1980*: Feb., 71–73
failure of, *1982*: Feb., **157–165**
after trauma, *1981*: June, 676
nutritional support in, *1982*: April, 328
pathophysiology of, *1981*: Feb., **221–230**
focal nodular hyperplasia of, *1981*: Feb., 184
function, abnormalities, with parenteral nutrition in children, *1981*: Oct., 1097
assessment of, *1981*: Feb., **197–207**
effect of TPN on, *1981*: June, 516
lesions of, hemorrhage in, *1981*: Aug., **973–979**
Liver *(Continued)*
metastatic disease of, *1981*: Feb., 188–194
resection of, *1980*: April, **349–367**
trauma to, *1981*: Feb., 11–14
in children, *1981*: Oct., **1165–1180**
tumors of, *1981*: Feb., **181–196**
in children, *1981*: Oct., **1209–1217**
malignant, *1981*: Feb., **169–180**
ultrasound examination of, *1981*: Aug., 791–794
Liver cell carcinoma, *1981*: Feb., 170–175
Lobectomy, of liver, left, *1980*: April, 365
right, *1980*: April, 363
pulmonary, indications for, *1982*: April, 200–201
Lumbar spine, disk lesions and spondylosis of, *1980*: June, **649–663**
disorders of, in geriatric patient, *1982*: April, **291–295**.
Lung. See also *Pulmonary*.
bacterial invasion of, *1980*: Feb., 176–178
capillaries of, increased permeability in, *1980*: Dec., 1330
carcinoma of, *1980*: Aug., **793–814**
adjuvant therapy for, surgical, *1981*: Dec., 1289–1284
BCG for, *1981*: Dec., 1291–1292
choice of adjuvant modality, *1981*: Dec., 1286
combination chemotherapy for, *1981*: Dec., 1290
isoniazid for, *1981*: Dec., 1291
levamisole for, *1981*: Dec., 1291, 1292
metastatic, surgery for, *1980*: Aug., **815–824**
natural history after resection, *1981*: Dec., **1279–1287**
surgical resection of, *1980*: Aug., 807–808
TNM classification of, *1980*: Aug., 802–804
type of tumor, correlated with survival, *1981*: Dec., 1281
contusion of, *1980*: Dec., 1546; *1982*: Feb., 101–102
in infants and children, *1981*: Oct., 1183
disease of, angiographic evaluation of, *1980*: Aug., 752–753, *754*
diagnostic work-up of, *1980*: Aug., **743–755**
drug-induced, *1980*: Feb., 70–71
effect on function, *1980*: Dec., 1333–1334
in surgical patient, *1980*: Feb., **175–183**
edema, *1980*: Oct., 1141–1143; Dec., 1326–1328
causes, *1980*: Dec., 1326–1328, 1410

Lung *(Continued)*
edema, fluid therapy for, *1980*: Dec., 1369–1370
fulminant noncardiogenic, in adult respiratory distress syndrome, *1980*: Dec., 1380–1381
in sepsis, *1981*: June, 688–689
radiograph of, *1980*: Dec., 1512–1517
relationship to infection and fibrosis, *1980*: Dec., 1328–1329
function of, changes in, after operation or trauma, *1980*: Dec., 1329–1330
effect of TPN on, *1981*: June, 516–517
hemodynamics, *1980*: Oct., 1136–1138
infection of, in surgical patient, *1980*: Feb., 175–183
injury to, role of lysosomal enzymes in, *1980*: Dec., 1384
smoke inhalation and, *1980*: Dec., 1535
lavage of, for aspiration pneumonia, *1980*: Dec., 1559
lesions of, radiographic imaging of, *1980*: Aug., 736
mechanical and functional characteristics, *1980*: Oct., 1144
metabolic function, *1980*: Oct., 1138–1140; Dec., 1387–1388
microvascular membrane of, physiology, *1980*: Dec., 1373–1376
normal morphology, *1980*: Oct., 1133–1136
opportunistic infection of, *1980*: Aug., **913–930**
overhydration, radiograph of, *1980*: Dec., 1514–1515
pathophysiology of, in surgical patients, *1980*: Dec., **1323–1338**
prenatal development of, congenital diaphragmatic hernia and, *1981*: Oct., 1025
preoperative testing of, *1980*: Dec., 1333–1334
resection of, *1980*: Dec., 1489
surgery of, risk factors in, *1980*: Dec., 1349–1351
thromboembolism of, effect on pulmonary function, *1980*: Dec., 1332
trauma to, *1980*: Aug., 968–970
tumor of, benign, *1980*: Aug., 825–834
volume-pressure relationship in, due to alveolar collapse, *1980*: Dec., 1325–1326
xenon 133 scan of, for inhalation injury, *1980*: Dec., 1536
Lymph node, retroperitoneal, CT of, *1982*: Dec., 921, 922
upper abdominal, dissection of, for staging Hodgkin's disease, *1980*: April, 373–375
Lymphadenectomy, for testicular cancer, *1982*: Dec., 1122–1124
Lymphadenectomy *(Continued)*
in renal carcinoma, *1982*: Dec., 1110–1111
staging, value of in prostatic carcinoma, *1982*: Dec., 1094–1097
Lymphangiography, in prostatic carcinoma, shortcomings of, *1982*: Dec., 1094
thoracic, *1980*: Aug., 721
Lymphangioma, mediastinal, *1980*: Aug., 771–772
Lymphocele, retroperitoneal, CT detection of, *1982*: Dec., 927
Lymphocytes, in malnutrition, *1981*: June, 563, 557–558
Lymphocyte-mediated cytotoxicity, in malnutrition, *1981*: June, 561
Lymphokines, production of, in malnutrition, *1981*: June, 561–562
Lymphoma, mediastinal, *1980*: Aug., 768–769
staging of, *1981*: Feb., 121
use of CT in, *1982*: Dec., 922

MAFENIDE, for burns, *1980*: Feb., 189
Malignant disease. See *Carcinoma*.
Malignant hyperthermia, in pediatric surgery, *1981*: Oct., 1007
Malnutrition, *1981*: June, 437–438
clinically important factors, study of, *1981*: June, 468–470
immunoglobulins in, *1981*: June, 563–564
in surgical patients, consequences, *1981*: June, **465–487**
in trauma patient, effect on defense mechanisms, *1982*: Feb., 191
leukocytes in, *1981*: June, 564–565
lymphocytes in, *1981*: June, 563; 557–558
macrophages in, *1981*: June, 565
protein-calorie, postoperative, *1981*: June, 721–724
treatment, *1981*: June, 725–726
Malpractice, documentation of care and, *1980*: Oct., 1017–1020
Mandible, fracture of, *1982*: Feb., 84, 86–87, 89
Mannitol, use in intracranial hypertension, *1982*: Feb., 57
Manometry, operative, in choledocholithiasis, *1981*: Aug., 901–902
Marasmus, *1981*: June, 437
Marshall-Marchetti-Krantz procedure, for stress incontinence, *1980*: April, 430–434
Mass, mediastinal, *1980*: Aug., **757–777**
MAST. See *Anti-shock garment*.
Maxilla, fractures of, *1982*: Feb., 89–90
Mediastinoscopy, *1980*: Aug., 751
in diagnosis of lung cancer, *1980*: Aug., 804–805

Mediastinotomy, anterior, diagnostic, *1980*: Aug., 751–752
Mediastinum, anterior, radiographic imaging of, *1980*: Aug., 726
middle, radiographic imaging of, *1980*: Aug., 726, 731
posterior, radiographic imaging of, *1980*: Aug., 731, 733
Medical audit, *1982*: Aug., 753–756
Medical records, documentation of emergency care, *1980*: Oct., 1017–1020
Medical specialties, increases in board-certified rates in, *1982*: Aug., 583
Megacolon, acquired, in geriatric patient, *1982*: April, 250
Melanoma, malignant, adjuvant therapy for, *1981*: Dec., **1249–1257**
BCG as immunotherapy, *1981*: Dec., 1250–1251, 1252, 1260–1261, 1269
compared with *C. parvum*, *1981*: Dec., 1250
C. parvum, for, *1981*: Dec., 1259, 1261–1264
DTIC for, *1981*: Dec., 1252–1253
levamisole for, *1981*: Dec., 1252
methyl-CCNU for, *1981*: Dec., 1270
Pseudomonas vaccine and chemotherapy for, *1981*: Dec., 1264–1265
radiotherapy for, *1981*: Dec., 1255
specific immunotherapy for, *1981*: Dec., 1252
surgical adjuvant therapy for, *1981*: Dec., **1259–1266**
transfer factor for, *1981*: Dec., 1251
Melzer-Lyons test, *1981*: Aug., 912
MER, chemotherapy and, for large bowel cancer, *1981*: Dec., 1319
Mesothelioma, mediastinal, *1980*: Aug., 771
Metabolic acidosis, with parenteral nutrition, *1981*: Oct., 1096
Metabolism, after trauma, *1981*: June, 672–674
effect of stress on, *1981*:June, 513–514
in cancer, *1981*: June, 694–696
in prolonged starvation, *1981*: June, 536–537
in sepsis, *1981*: June, 683
role of hormones, *1981*: June, 683–684
in stressed starvation, *1981*: June, 538–541
in uncomplicated starvation, *1981*: June, 529–535
Metastases. See also *Carcinoma* and specific type of tumor or body part affected.
pulmonary, surgery for, *1980*: Aug., **815–824**
Methicillin, *S. aureus* resistant to, *1980*: Feb., 119–120
Methyl-CCNU, for malignant melanoma, *1981*: Dec., 1270
Methyl-CCNU *(Continued)*
5-FU and, for large bowel cancer, studies of effectiveness, *1981*: Dec., 1328
for rectal carcinoma, *1981*: Dec., 1318–1319
plus MER, for large bowel cancer, *1981*: Dec., 1319
toxicity of, *1981*: Dec., 1274
3-Methylhistidine, measurement of somatic protein mass, *1981*: June, 455
Metronidazole, use in patients with hepatic dysfunction, *1982*: April, 335
Microembolization, causing pulmonary injury, controversy concerning, *1980*: Dec., 1381–1383
Microvascular surgery, in digital replantation, *1981*: Apr., 391–393
in reconstruction of hand, *1980*: Oct., **1105–1119**
Micturition, neurophysiology of, *1982*: Dec., 1075–1077
Midsternotomy, for pulmonary resection, *1980*: Dec., 1488
Mid–upper arm circumference, measurement of, *1981*: June, 452–454
Mitogen responsiveness, in trauma patients, *1982*: Feb., 174–175
Mitomycin C, for superficial bladder tumors, *1981*: Dec., 1335–1336
Moniliasis, pulmonary, *1980*: Aug., 911
Monitoring, in pediatric surgery, *1981*: Oct., 1003–1007
Mono-octanoin, for dissolution of bile duct stones, *1982*: Oct., 830
Monosporosis, pulmonary, *1980*: Aug, 911
Morbidity rates, surgical, variations in, *1982*: Aug., 786
Morbilliform rash, *1980*: Feb., 67
Mortality, surgical, variations in, *1982*: Aug., 786
Mucormycosis, pulmonary, *1980*: Aug. 910
Multiple injuries, ophthalmic considerations in patients with, *1982*: April, **301–308.**
Multiple systems failure, prevention of, *1980*: Oct., **1167–1178**
Muscle relaxants, in pediatric anesthesia, *1981*: Oct., 1000
Muscle. See name of muscle.
Muscle strength, tests for, *1981*, April, 303–304
Musculoskeletal infection, *1980*: Feb., **213–222**
Myasthenia gravis, *1980*: Aug., **931–945**
thymoma and, *1980*: Aug., 766, 768
Mycobacteria, atypical, *1980*: Aug., 889–890
Myelofibrosis, splenectomy for, *1981*: Feb., 120
Myelography, mediastinal, *1980*: Aug., 721, 763
Myeloma, of chest wall, *1980*: Aug., 786

Myoblastoma, granular cell, of bronchus, *1980:* Aug., 830
Myocardial infarction, *1982:* Feb., 12
Myocardium, contusion of, *1980:* Dec., 1547; *1982:* Feb., 11–12, 102
  failure of, *1982:* Feb., **149–156**
Myocutaneous flap, for radiation wound, *1982:* April, 315–316
  in head and neck reconstruction, *1980:* Oct., **1187–1199**

NATIONAL Nosocomial Infections Study, *1980:* Feb., 17
Nail-edge gangrene, *1982:* June, 378, 379
Necrotizing enterocolitis, in neonates, *1981:* Oct, **1013–1022**
Needle, Verres, for pneumoperitoneum, *1980:* April, 407–408
Needle catheter jejunostomy, *1981:* June, 612
Neonate. See *Infant, newborn.*
Neuroma, acoustic, suboccipital
    microsurgical removal of, *1980:* June, **565–591**
  of fingertip, *1981:* April, 259–260
Neoplasms. See *Tumors.*
Nephrectomy, for surgical injury to ureter, *1982:* Dec., 1067
  radical, for Wilms' tumor, *1981:* Oct., 1224
Nephritis, interstitial, allergic, drug-induced, *1980:* Feb., 75
Nephrostomy, *1980:* June, 688–689, 690; *1982:* Dec., 1031
Nerve conduction, electrical studies of, *1981:* April, 314
Nerve graft, in hand, *1981:* April, 331–332
Nerve(s). See also under specific names.
  of hand, coaptation of, *1981:* April, 325–327, 330
    repair, *1981:* April, **321–340**
      primary versus secondary, *1981:* April, 322–324
Nervous system, central, hepatic failure and, *1981:* Feb., 224
Neuralgia, trigeminal, refractory, microsurgical techniques for, *1980:* June, **593–607**
Neurilemmoma, mediastinal, *1980:* Aug., 764
  of chest wall, *1980:* Aug., 784
Neuroblastoma, *1981:* Oct., 1227–1236
  mediastinal, *1980:* Aug., 766
Neurofibroma, mediastinal, *1980:* Aug., 765
  of chest wall, *1980:* Aug., 784
Neurogenic bladder dysfunction, *1982:* April, 269
  in children, undiversion in, *1981:* Oct., 1158
Neurogenic intermittent claudication, *1982:* April, 292
Neurologic evaluation, in spinal injuries, *1980:* Oct., 1036, 1049
  of trauma patient, *1982:* Feb., 14
Neurologic reactions, to antibacterials, *1980:* Feb., 68–70
Neurolysis, in hand, *1981:* April, 336
Neuromuscular blockade, ventilation after, *1980:* Dec., 1441
Neurosarcoma, mediastinal, *1980:* Aug., 765
Neutron activation, in nutritional assessment, *1981:* June, 747–748
Newborn. See *Infant, newborn.*
Niacin, *1981:* June, 503–504
Nicotinic acid, *1981:* June, 503–504
Ninhydrin test, *1981:* April, 313
Nissen fundoplication, in infants and children, *1981:* Oct., 1109
Nitrofurantoin, pulmonary reactions to, *1980:* Feb., 70
Nitrofurazone, *1980:* Feb., 189
Nitrogen balance, *1981:* June, 642
  energy intake and, *1981:* June, 553, 554
  formula, *1981:* June, 579
Nitrogen loss, *1981:* June, 495, 497
Nocardiosis, pulmonary, *1980:* Aug., 910, 920, 921
Nodules, pulmonary, radiographic diagnosis of, *1980:* Aug., 733–734, 736
Nonshunting procedures, for bleeding esophageal varices, *1980:* April, **281–295**
Nonstress test, *1982:* April, 284
Nose, fractures of, *1982:* Feb., 92
Nosocomial infection, anaerobic, *1980:* Feb., **49–63**
  respiratory, *1980:* Feb., **175–183**
  surgical. See also organ or system involved.
    aseptic techniques and, *1980:* Feb., 31–37
    epidemiology of, *1980:* Feb., **27–40**
    host defense in, *1980:* Feb., **107–116**
    incidence of, *1980:* Feb., **15–25**
    nutrition and, *1980:* Feb., **41–47**
    prophylactic antibiotics and, *1980:* Feb., **83–92**
5'Nucleotidase, serum, *1981:* Feb., 200
Nuclide scanning, in pancreatitis, *1981:* Aug., 930
Nutrition. See also *Diet.*
  assessment of, laboratory values used in, *1982:* April, 322
    techniques, *1981:* June, **437–463**; 749–750
    to identify patients for nutritional support, *1981:* June, 574
  immune response and, *1980:* Feb., 114–115; *1981:* June, **557–569**
  in acute respiratory distress syndrome, *1980:* Dec., 1424

Nutrition *(Continued)*
in cancer, *1981:* June, **691–700**
in surgical patients, symposium on, *1981:* June, **429–753**
infection and, *1980:* Feb., **41–47,** 151
normal requirements, *1981:* June, **489–507**
parenteral, in infants and children, *1981:* Oct., **1089–1100**
total parenteral (TPN), *1982:* April, 323–324. See also *Hyperalimentation.*
central venous, vascular access, *1982:* June, 532–537
cost effectiveness, *1981:* June, 745
effect on hepatic function, *1981:* June, 516
effect on pulmonary function, *1981:* June, 516–517
efficacy of carbohydrate versus lipid calories, *1981:* June, 737
gallbladder complications, *1981:* June, 676
home, *1981:* June, **621–633**
in Crohn's disease, *1981:* June, 702–703
in infants and children, metabolic complications, *1980:* Oct., **1239–1252**
in inflammatory bowel disease with fistulas, *1981:* June, 706
with growth retardation, *1981:* June, 703
in pancreatitis, *1981:* June, 704
in renal failure, *1981:* June, 666–668
in ulcerative colitis, *1981:* June, 702
peripheral venous, vascular access in, *1982:* June, 531–532
preoperative, effect on operative morbidity and mortality, *1981:* June, 478–484
solutions, optimum amino acid concentration, *1981:* June, 738
Nutrition support service, cost effectiveness, *1981:* June, 718–719
establishment of, *1981:* June, 710
Nutrition support team, roles of members, *1981:* June, 711–714
Nutritional deficiencies, disease states associated with, *1981:* June, 439
Nutritional index, prognostic, *1980:* Feb., 45
Nutritional markers, predictors of operative morbidity and mortality, *1981:* June, 470–477
Nutritional support. See also specific type of support.
as primary therapy, *1981:* June, 572
body composition and, *1981:* June, **729–741**
cost effectiveness, *1981:* June, 580
decision-making in, *1981:* June, **571–582**

Nutritional support *(Continued)*
ethical considerations, *1981:* June, 745–746
in cancer, *1981:* June, 697–698
in cardiac failure, *1981:* June, **635–652**
in gastrointestinal disease, *1981:* June, **701–708**
in hepatic disease, *1981:* June, **653–660**
in hepatic failure, *1982:* Feb., 162–163
in renal failure, *1981:* June, **661–670**
in sepsis, *1981:* June, **681–690**
in trauma, *1981:* June, **671–679;** *1982:* Feb., 185–190
of surgical patient, *1982:* April, **321–331**
overfeeding in, *1981:* June, 577–578

OCULAR vestibular reflex, test of in head injury, *1982:* Feb., 49
Oculocephalic reflex, test of in head injury, *1982:* Feb., 49
Oculoplethysmography, in noninvasive evaluation of carotid artery, *1980:* June, 515–517
Oliguria, in acute renal failure, *1980:* Oct., 1154
postoperative, *1982:* Feb., 143–145
Omentum, use for radiation wound coverage, *1982:* April, 316
Omphalocele, *1981:* Oct., **1037–1049**
Oncocytoma, renal, *1982:* Dec., 1103
Oophoropexy, prior to radiotherapy for Hodgkin's disease, *1980:* April, 375
Opportunistic infection, in cancer patient, *1980:* Feb., 146–153
of lung, *1980:* Aug., 913–930
Optic nerve, examination of for damage, *1982:* April, 307–308
Optic neuritis, drug-induced, *1980:* Feb., 69
Oral cholecystography, *1981:* Aug., 776–777
in pancreatitis, *1981:* Aug., 929
Orbit, fractures of, *1982:* Feb., 90–92
Organ failure, multiple, prevention of, *1980:* Oct., **1167–1178**
Orthopedic patient, geriatric, morbidity and mortality in, *1982:* April, **297–300**
Osteochondroma, of rib, *1980:* Aug., 782, 783, 784
Osteomyocutaneous free flap, *1980:* Oct., 1195–1198
Ototoxicity, of antibacterials, *1980:* Feb., 69
Outpatient surgery. See *Ambulatory surgery.*
Ovariopexy, prior to radiotherapy for Hodgkin's disease, *1980:* April, 375
Oxygen, delivery of, to peripheral tissues, *1980:* Dec., 1405
in acute respiratory distress syndrome, *1980:* Dec., 1418

Oxygen *(Continued)*
for neonatal hypoxemia, *1980:* Dec., 1524
Oxygen toxicity, causing respiratory failure, *1980:* Dec., 1387
development of in respiratory failure, *1980:* Dec., 1405
Oxytocin challenge test, *1982:* April, 284

P–900, in peripheral parenteral nutrition, *1981:* June, 601
Pacemaker, diaphragm, for quadriplegic with respiratory paralysis, *1980:* Oct., **1055–1078**
Pain, of relapsing pancreatitis, *1981:* Feb., 77
Pancreas, abscess of, *1981:* Feb., 68
biopsy of, *1981:* Feb., 108
cancer of, *1981:* Feb., **107–115**
angiography in, *1981:* Feb., 37–43
extent of resection for, *1981:* Feb., 111–114
surgical management of, *1980:* April, **333–347**
disease, CT and ultrasound of, *1981:* Aug., 814
endoscopic retrograde cannulation of, *1981:* Feb., 23, 101
hemorrhagic necrosis of, *1981:* Aug., 929
imaging of, *1981:* Feb., **17–45**
injury to, *1981:* Feb., **6–11**
lesions of, surgical management of, *1980:* April, **333–347**
physiology of, *1981:* Feb., **47–54**
pseudocysts of, *1981:* Feb., 73–75
surgery of, bypass, *1981:* Feb., 111
transplantation of, *1981:* Feb., **85–98**
trauma to, pancreatitis after, *1981:* Feb., 73
ultrasound examination of, *1981:* Aug., 794
Pancreatectomy, *1980:* April, 344–345
nutritional problems after, *1981:* June, 727
total, for cancer, *1981:* Feb., 111
Pancreatic duct, obstruction of, endoscopic management of, *1982:* Oct., **837–844**
Pancreaticojejunostomy, *1980:* April, 342
Pancreatitis, acute, *1981:* Feb., **55–70**
prognostic signs in, *1981:* Feb., 58–59
surgery for, *1981:* Feb., 63
chronic, *1981:* Feb., **71–83**
islet cell transplant in, *1981:* Feb., 91–95
relapsing, *1981:* Feb., 77
endoscopic management, *1982:* Oct., **845–852**
endoscopic sphincterotomy for, *1982:* Oct., 845–846
gallstone, *1981:* Aug., 923–938
Pancreatitis *(Continued)*
nutritional support in, *1981:* June, 704–705
respiratory complications of, *1981:* Feb., 62
role of bile in, *1981:* Aug., 924–925
role of common bile duct stones, *1981:* Aug., 925
ultrasonography in, *1981:* Feb., 28–32, 101
Pancreatoduodenal resection, *1981:* Feb., 111
Pancreatoduodenectomy, radical, for pancreatic lesion, *1980:* April, 338–341
Pancuronium, in trauma, *1982:* Feb., 35
Papilla of Vater, diseases of, *1981:* Aug., 909–913
Paraganglioma, mediastinal, *1980:* Aug., 766
Paratenon, of hand, *1981:* April, 269
Parathyroid gland(s), disorders of. See also specific disorders, as *Hyperparathyroidism.*
mediastinal, *1980:* Aug., 773
Parenchyma, pulmonary, radiographic imaging of, *1980:* Aug., 733–734, 736
Parenteral nutrition. See also *Hyperalimentation;* and *Total parenteral nutrition, (TPN).*
in infants and children, *1981:* Oct., **1089–1100**
Parietal cell vagotomy, *1980:* April, **247–263**
Parkland regimen, hypotonic, in fluid resuscitation, *1980:* Oct., 1022–1023
Parotid duct, injury to, *1982:* Feb., 83, 84
Parotid gland, advanced tumors of, radical neck dissection for, *1980:* June, 621–624
Patent ductus arteriosus, *1981:* Oct., 1070
Patient, high risk, preoperative pulmonary assessment of, *1980:* Dec., **1349–1357**
pulmonary complications in, prevention of, *1980:* Dec., **1359–1370**
multiply injured, fractures in, *1980:* Oct., **1121–1131**
surgical, acute renal failure in, *1980:* Oct., **1151–1166**
Pectoralis major muscle flap, *1980:* Oct., 1193–1195
Pectus carinatum, *1981:* Oct., 1204
Pectus excavatum, *1981:* Oct., 1199
Pediatric. See *Children; Infants.*
Pediatric surgery, anesthesia for, *1981:* Oct., **997–1012**
PEEP. See *Positive end-expiratory pressure (PEEP).*
Penicillin(s), allergic reactions to, *1980:* Feb., 65
for intra-abdominal abscess, *1982:* April, 234
synthetic, hepatotoxicity of, *1980:* Feb., 72

Penicillin(s) *(Continued)*
use in patient with hepatic dysfunction, *1982:* April, 334
Penis, blood flow to, *1982:* Dec., 981, 984
ejaculation and erection of, *1982:* Dec., 1077–1079
Peptic ulcer. See *Duodenum, ulcer.*
Peptides, effect on pancreatic secretion, *1981:* Feb., 52
Percutaneous cannulation, for temporary vascular access, *1982:* June, 539
Percutaneous transhepatic cholangiography, *1981:* Feb., 25–28, 101; Aug., 777–778, 931
in choledocholithiasis, *1981:* Aug., 898–899
thin needle, in acute sclerosing pancreatitis, *1981:* Aug., 955
Percutaneous transhepatic tube, in biliary tract surgery, *1980:* April, 309–311
Percutaneous transluminal angioplasty, *1982:* June, **357–372**
Pericardial tamponade, *1982:* Feb., 11
Peripheral arterial disease, diagnosis, noninvasive tests for, *1982:* June, **473–487**
Peripheral nerves, injuries to, assessment of, *1981:* April, **303–319**
Peripheral parenteral nutrition, *1981:* June, **593–604**
lipid system in, *1981:* June, 595–597
P-900 in, *1981:* June, 601
thrombophlebitis in, prevention, *1981:* June, 601
Peripheral veins, in total parenteral nutrition, *1982:* June, 531–532
Peritoneal cavity, examination of, *1980:* April, **407–423**
Peritoneal drainage, in neonates, *1981:* Oct., 1019
Peritoneal lavage, during pregnancy, *1982:* April, 282–283
for abdominal trauma, *1982:* Feb., **106–107**
in children, *1981:* Oct., 1166
in diagnosis of intra-abdominal bleeding, *1982:* Feb., 15
in pancreatitis, *1981:* Feb., 65–68
Peritoneoscopy, *1980:* April, **407–424**
Peritonitis, *1980:* Feb., 57
post-surgical, *1980:* Feb., 199
Phalanx(ges), distal, amputation of, *1981:* April, 249–254
fracture, *1981:* April, 257
middle, amputation of, *1981:* April, 254
proximal, amputation of, *1981:* April, 256
Pharyngolaryngectomy, for tracheal carcinoma, *1980:* April, 278
Pharynx, larynx and, paralysis of, *1980:* Oct., **1079–1092**
Pheochromocytoma, mediastinal, *1980:* Aug., 766
retroperitoneal, CT detection of, *1982:* Dec., 926
Phlebography, descending, *1982:* June, 403
Phleborheography, *1982:* June, 491–492
radionuclide, *1982:* June, 492
Phonoangiography, carotid, *1980:* June, 514–515
Photosensitivity, *1980:* Feb., 68
Phrenic nerves, electrical stimulation of, for respiratory paralysis, *1980:* Oct., **1055–1078**
Phycomycosis, pulmonary, *1980:* Aug., 916–918
Phyrigian cap, imaging of, *1981:* Aug., 795
Physician assistant, use of in surgery, *1982:* **669–675**
Physiologic dead space, equation for, *1980:* Dec., 1417
Physiotherapy, of chest, in acute respiratory failure, *1980:* Dec., 1411
in atelectasis, *1980:* Dec., 1396
in pneumonia, *1980:* Dec., 1396
Pituitary gland, adenomas of, *1980:* Oct., **1201–1206**
Plasma therapy, immune response and, *1980:* Feb., 110–114
Plasmacytoma, in chest wall, *1980:* Aug., 786
Plasmapheresis, *1982:* June, 549–550
for myasthenia gravis, *1980:* Aug., 936
Plethysmography, in measurement of body volume, *1981:* June, 749
venous, *1982:* June, 491–492
Pleural effusion, *1981:* Feb., 76
Pleuroscopy, *1980:* Aug., 749–750
Pneumatic suit, *1982:* Feb., 25
Pneumococcal vaccine, polyvalent, *1981:* Feb., 132
Pneumocystosis, in compromised patient, *1980:* Aug., 922–924
Pneumomediastinography, *1980:* Aug., 763
Pneumonectomy, indications for, *1982:* April, 201
Pneumonia, antibiotics for, *1980:* Dec., 1399
aspiration, *1980:* Feb., 56; Dec., 1551–1563
in surgical patient, *1980:* Feb., 177–179
prevention of, *1980:* Dec., 1563
treatment of, *1980:* Dec., 1558–1562
continuous positive airway pressure for, *1980:* Dec., 1398–1399
development of atelectasis and, *1980:* Dec., 1394
diagnostic criteria, *1980:* Dec., 1393–1394
endotracheal suctioning in, *1980:* Dec., 1396
in surgical patient, *1980:* Feb., **175–183**

Pneumonia *(Continued)*
interstitial, in compromised patient, *1980*: Aug., 922–924
intratracheal catheterization for, *1980*: Dec., 1396–1397
physiotherapy of chest in, *1980*: Dec., 1396
positive end-expiratory pressure in, *1980*: Dec., 1398–1399
sputum sampling in, *1980*: Dec., 1399
Pneumonitis, aspiration, *1980*: Oct., 1087
Pneumoperitoneum, in laparoscopy, *1980*: April, 413–416
in neonates, *1981*: Oct., 1018
Pneumothorax, *1982*: Feb., 98
closed, *1980*: Aug., 965
in infants and children, *1981*: Oct., 1186
open, *1980*: Aug., 964–965; Dec., 1543; *1982*: Feb., 100
spontaneous, *1980*: Aug., 851–857
tension, *1980*: Aug., 965–966; Dec., 1545; *1982*: Feb., 11, 101
treatment of, *1980*: Dec., 1465–1467
Poisoning, carbon monoxide, *1980*: Dec., 1534
Polypectomy, colonoscopic, *1982*: Oct., 881–883, **877–887**
complications of, *1982*: Oct., 893–894
Polyps, colonic, malignant transformation of, debate over, *1982*: Oct., 861–862
endoscopic management, rationale for, *1982*: Oct., **861–867**
hyperplastic, *1982*: Oct., 862
pedunculated, colonoscopic removal of, *1982*: Oct., 881–882
sessile, colonoscopic removal of, *1982*: Oct., 882–883
Polytetrafluoroethylene (Gortex), as vascular graft material, *1982*: June, 504–505, 546
Popliteal vascular entrapment, *1982*: June, 450–453
Porta-azygous disconnection, for bleeding esophageal varices, *1980*: April, 286–291
Positive end-expiratory pressure (PEEP), *1982*: Feb., 129
as feature of ventilator, *1980*: Dec., 1430
breaking of, sedation of patient for, *1980*: Dec., 1362–1363
effect of, assessment with Swan-Ganz catheter, *1980*: Dec., 1407
for acute respiratory distress syndrome, *1980*: Dec., 1421–1422
for aspiration pneumonia, *1980*: Dec., 1562
in acute respiratory failure, *1980*: Dec., 1405–1406
in atelectasis, *1980*: Dec., 1398–1399
in pneumonia, *1980*: Dec., 1398–1399
increased, indications for, *1980*: Dec., 1365–1366
Positive-pressure ventilation, for aspiration pneumonia, *1980*: Dec., 1562
Postconcussion syndrome, *1982*: Feb., 59
Postocclusion reactive hyperemia, *1982*: June, 481, 483
Post-thrombotic syndrome, *1982*: June, 495
Pott's disease, *1980*: Aug., 893–894
Povidone-iodine, for burns, *1980*: Feb., 189
Practice, surgical, federal legislation and the future of, *1982*: Aug., **771–779**
organization of, influence on patient care, *1982*: Aug., **677–684**
surgeon preferences in, *1982*: Aug., 650–653
trends in, *1982*: Aug., 649–650
quality assurance in, *1982*: Aug., **751–759**
Prealbumin, serum, assessment of visceral protein, *1981*: June, 458
Pregnant patient, trauma in, *1982*: April, **275–289.**
PRESSO program, *1982*: Aug., 707, 715
PROCES program, *1982*: Aug., 706–707, 715
Procidentia. See *Prolapse*.
Proctocolectomy, for inflammatory disease in children, *1981*: Oct., 1127
Prognostic nutritional index, *1980*: Feb., 45
Prolamine, occlusion of Wirsung's duct with, *1982*: Oct., 848
Prolapse, rectal, *1980*: April,**451–455**
Prophylaxis, antibiotic, preoperative, *1980*: Feb., **83–92**
Prostaglandins, pancreatic secretion and, *1981*: Feb., 52
Prostanoid system, initiation of adult respiratory distress syndrome and, *1980*: Dec., 1385–1387
Prostate, carcinoma of, *1982*: Dec., **1085–1099**
bone marrow acid phosphatase determinations in, *1982*: Dec., 1088–1090
implantation of iodine-125 seeds, *1980*: Oct., **1215–1223**
lymph node involvement in, detection of, *1982*: Dec., 1093–1094
prostatic acid phosphatase determinations in, *1982*: Dec., 1088–1090
Prostatectomy, fictional case history, use in study of surgical decision-making, *1982*: Aug., 726–727
Prosthesis, for chest wall, *1980*: Aug., 789
penile, for impotency, *1982*: Dec., 991–996
vascular. See *Vascular graft*.
Protein, allowance, *1981*: June, 497
metabolism, normal, *1981*: June, 520–521
in stress, *1981*: June, 524–525

Protein *(Continued)*
requirements, in congestive heart failure, *1982:* June, 642–643
Protein-calorie malnutrition. See *Malnutrition, protein-calorie.*
Protein sparing, *1981:* June, 512–513
Protein-sparing therapy, *1981:* June, 597–601; *1982:* April, 324
in postsurgical malnutrition, *1981:* June, 725
Proteinase, digestion of macromolecules by, *1981:* April, 359
secretion of, *1981:* April, 359
Proteoglycans, degradation of in arthritis, *1981:* April, 357–358
structure of, *1981:* April, 357
Prothrombin concentration, *1981:* Feb., 202
Pseudoaneurysms, femoral, *1982:* June, **431–440**
Pseudocysts, of pancreas, *1981:* Feb., 73–75
Pseudomegacolon, in geriatric patient, *1982:* April, 250
Pseudomembranous colitis, *1980:* Feb., 58–60, 63, 71
endoscopic appearance, *1982:* Oct., 909–910
Pseudomonas vaccine, for malignant melanoma, with chemotherapy, *1981:* Dec., 1264–1265
Pseudopolyps, *1982:* Oct., 862
in inflammatory bowel disease, *1982:* Oct., 907
Pseudotumor cerebri, *1980:* Feb., 69
Pulmonary. See also *Lung.*
Pulmonary arterial wedge pressure, measurement in respiratory failure, *1980:* Dec., 1417–1418
Pulmonary arteriovenous admixture, *1980:* Dec., 1403
Pulmonary artery banding, in neonates, *1981:* Oct., 1068
Pulmonary artery hypertension, congenital diaphragmatic hernia and, *1981:* Oct., 1031
Pulmonary atresia, neonatal repair of, *1981:* Oct., 1074
Pulmonary blood flow, diminished, in neonates, *1981:* Oct., 1066
excessive, in neonates, *1981:* Oct., 1068
Pulmonary compliance, monitoring of, *1980:* Dec., 1438
Pulmonary complications, prevention of, treatment and, *1980:* Dec., 1334–1337
in high risk patients, *1980:* Dec., **1359–1370**
techniques, *1980:* Dec., **1339–1347**
Pulmonary contusion, in infants and children, *1981:* Oct., 1183
Pulmonary edema, *1980:* Oct., 1141–1143; Dec. 1326–1328
Pulmonary edema *(Continued)*
causes of, *1980:* Dec., 1410
fulminant noncardiogenic, in adult respiratory distress syndrome, *1980:* Dec., 1380–1381
in sepsis, *1981:* June, 688–689
relationship to infection and fibrosis, *1980:* Dec., 1328–1329
Pulmonary embolectomy, history of transvenous approach, *1982:* June, 412–413
open, *1982:* June, 421–422
transvenous catheter, *1982:* June, 422–426
Pulmonary embolism, classification, *1982:* June, 415
diagnosis, *1982:* June, 413–414, 497–498
prevention of, *1980:* Dec., 1344–1345
Pulmonary failure. See also *Respiratory failure.*
early physiologic changes in, *1980:* Dec., 1361
Pulmonary fibrosis, characterization of, *1980:* Dec., 1379
Pulmonary function, impaired, pulmonary resection in, *1982:* April, **199–214**
preoperative testing of, *1980:* Dec., 1333–1334, 1352
Pulmonary hypoplasia, congenital diaphragmatic hernia and, *1981:* Oct., 1026
Pulmonary infection, in surgical patient, *1980:* Feb., **175–183**
Pulmonary infiltrate, with eosinophilia, *1980:* Feb., 70
Pulmonary microvascular membrane, physiology of, *1980:* Dec., 1373–1376
Pulmonary reactions, to antibacterials, *1980:* Feb., 70–71
Pulmonary stenosis, neonatal repair of, *1981:* Oct., 1074
Pulmonary vascular resistance (PVR), equation for, *1980:* Dec., 1444
increased, in acute respiratory distress syndrome, *1980:* Dec., 1414
Pulmonary venous connection, total anomalous, *1981:* Oct., 1065
Pulse volume recording, *1982:* June, 476, 478, 479
Pupil, evaluation of, in patient with head injury, *1982:* April, 303
Purpura, idiopathic thrombocytopenic, *1981:* Feb., 119
Pursestring instrument (PSI), in gastrointestinal surgery, *1980:* April, 390
PVR. See *Pulmonary vascular resistance (PVR).*
Pyelography, intravenous, for infected graft, *1982:* June, 522
Pyelopyelostomy, *1982:* Dec., 1014
Pyelostomy, *1980:* June, 689, 691

Pyeloureteroileostomy, *1980:* June, 697
Pyloroduodenal dilatation, *1980:* April, 256–257
Pyridoxine, *1981:* June, 505
Pyruvate kinase deficiency, *1981:* Feb., 118

QUADRIPLEGIA, respiratory paralysis and, diaphragm pacing in *1980:* Oct., **1055–1078**
Quality assurance, in surgical practice, *1982:* Aug., **751–759**

"RACCOON EYES," *1982:* Feb., 48
Radiation therapy, for breast cancer, *1980:* Oct., **1179–1186**
for lung cancer, *1980:* Aug., 808–809
for malignant melanoma, *1981:* Dec., 1255
for metastatic seminoma, *1981:* Dec., 1332
for nonseminomatous testicular cancer, *1981:* Dec., 1333; *1982:* Dec., 1125
for seminoma, *1982:* Dec., 1124–1125
plus surgery, for nonseminomatous testicular cancer, *1981:* Dec., 1334
preoperative, for large bowel cancer, *1981:* Dec., 1313–1315
for rectal carcinoma, *1981:* Dec., 1300–1301, 1302–1303
postoperative, for rectal carcinoma, *1981:* Dec., 1301, 1304, 1305
"Sandwich" techniques, for rectal carcinoma, *1981:* Dec., 1304
Radiation wound, chronic, *1982:* April, **309–319**
Radiography, for lung cancer, *1980:* Aug., 794
in colon volvulus, *1982:* April, 253
in liver failure, *1982:* Feb., 161
of biliary tree, *1981:* Aug., **775–786**
of bullous emphysema, *1980:* Aug., 858
of chest, *1980:* Dec., 1503–1518
diagnostic, *1980:* Aug., 716, 745, 747
postoperative, *1980:* Dec., 1504–1505
preoperative, *1980:* Dec., 1503–1504
of facial fractures, *1982:* Feb., 77
of pancreas, *1981:* Feb., 17–23
of pulmonary abscess, *1980:* Aug., 837
of pulmonary fluid, *1980:* Dec., 1512–1517
of skull, after trauma, *1982:* Feb., 50
of spinal injury, *1982:* Feb., 64–66
Radioisotopes, in chest imaging, *1980:* Aug., 719–720
Radionuclide imaging, for acute scrotal pathology, *1982:* Dec., 960–961
for infected graft, *1982:* June, 521
of pancreas, *1981:* Feb., 22–23
Radionuclide phlebography, *1982:* June, 492
Ramirez winged shunt, *1982:* June, 538
Random skin flap, for radiation wound, *1982:* April, 312
Randomized clinical trial, role in evaluation of new operations, *1982:* Aug., **761–769**
Rash, morbilliform, *1980:* Feb., 67
Recommended dietary allowances (RDA), *1981:* June, 490, 754–756, 757
Rectum. See also *Large bowel.*
bleeding from, colonoscopic diagnosis and management, *1982:* Oct., **897–903**
carcinoma of, combination chemotherapy for, *1981:* Dec., 1318–1319
postoperative radiotherapy for, *1981:* Dec., 1301, 1304, 1305
preoperative radiotherapy for, *1981:* Dec., 1300–1301, 1302–1303
"sandwich" radiotherapy for, *1981:* Dec., 1304
endoscopic examination of, *1982:* Oct., 871
prolapse of, *1980:* April, **451–455**
Red shock syndrome, *1980:* Feb., 166–170
Reflux, gastroesophageal. See *Gastroesophageal reflux.*
Regionalization, of surgical procedures, *1982:* Aug., **657–668**
Renal. See also *Kidney.*
Renal artery stenosis, percutaneous transluminal angioplasty for, *1982:* June, 362–364
Renal cell carcinoma. See *Adenocarcinoma, renal.*
Renal dysfunction, use of antimicrobial agents in, *1982:* April, **333–340**
Renal failure. See *Kidney, failure.*
Renal revascularization, aortorenal saphenous vein bypass graft in, *1980:* June, **487–501**
Renal tubular necrosis, acute, drug-induced, *1980:* Feb., 74
Renin-angiotensin axis, *1982:* Feb., 134, 136
Renovascular hypertension, aortorenal saphenous vein bypass graft for, *1980:* June, **487–501**
Replantation, of digits, *1981:* April, **383–394**
hands and, *1980:* Oct., **1105–1119**
Residents, surgical, output of, *1982:* Aug., 586–587
Respiration, postoperative physiologic changes in, *1982:* April, 211–212
Respiratory care, in surgery, symposium on, *1980:* Dec., **1319–1575**
Respiratory disease, preoperative risk factors in patient with, *1982:* April, 205
Respiratory distress, neonatal, assessment of, *1980:* Dec., 1522–1523
monitoring of, *1980:* Dec., 1523–1524

Respiratory distress syndrome, acute. See *Acute respiratory distress syndrome.*
adult. See *Adult respiratory distress syndrome.*
diagnosis and management of, *1980*: Aug., **983–1001**
Respiratory failure. See also *Pulmonary failure.*
acute, *1980*: Oct., **1133–1149**
cardiac output in, *1980*: Dec., 1407–1408
chest physiotherapy in, *1980*: Dec., 1411
evaluation and stabilization in, preoperative, *1980*: Dec., 1354–1357
extracorporeal membrane oxygenation (ECMO) in, *1980*: Dec., 1408
fluid management in, *1980*: Dec., 1410–1411
intermittent mandatory ventilation in, *1980*: Dec., 1409
positive end-expiratory pressure in, *1980*: Dec., 1405–1406
after trauma, *1981*: June, 674–675
after trauma and sepsis, pathogenesis of, *1980*:Dec., **1373–1389**
caused by oxygen toxicity, *1980*: Dec., 1387
complications of, *1980*: Dec., 1465–1479
severe, management of, *1980*: Dec., **1403–1411**
with heart failure, monitoring of, *1980*: Dec., 1569–1570
Respiratory function, monitoring of, in acute respiratory failure, *1980*: Dec., 1416–1417
in intensive care, *1980*: Dec., **1437–1445**
Respiratory infection, in surgical patient, *1980*: Feb., 121–122, **175–183**
in trauma patient, *1980*: Feb., 140
Respiratory insufficiency, after chest wall resection, *1980*: Aug., 789
Respiratory support, neonatal, *1980*: Dec., 1524–1528
Respiratory system, monitoring, in pediatric surgery, *1981*: Oct., 1003, 1006
Respiratory tract, inhalation injury of, *1980*: Oct., 1026–1029; Dec., 1533–1540
paralysis of, diaphragm pacing in, *1980*: Oct., **1055–1078**
Resting energy expenditure (REE), formula, *1981*: June, 552
Resuscitation, for thoracic trauma, *1980*: Aug., 959
Retinol, *1981*: June, 498
Retinol-binding protein, serum, assessment of visceral protein, *1981*: June, 458
Retractor, Balfour, *1980*: April, 399
table-fixed, *1980*: April, **399–405**
Retroperitoneum, CT of, *1982*: Dec., **919–940**
Rib, fracture of, *1980*: Aug., 962
as cause of ventilatory impairment, *1982*: Feb., 98
Riboflavin, *1981*: June, 503
Ridge sensitometer test, *1981*: April, 312
Rifampin, hepatic toxicity of, *1980*: Feb., 72
toxic reaction to *1980*: Feb., 66
Ripstein operation, for rectal prolapse, *1980*: April, 453–455
Roentgen examination. See *Radiography* or specific procedure.
Rowachol, for gallstones, *1981*: Aug., 871
Rubber-band dynamic splint, for finger injuries, *1981*: April, 284

SAEGESSER'S sign, *1981*: Feb., 3
Saphenous vein, as arterial prosthesis, *1982*: June, 507
Saphenous vein bypass, for impotency, *1982*: Dec., 989–990
Saphenous vein graft, procurement and insertion, *1980*: June, 491–501
Sarcoma, Ewing's, of chest wall, *1980*: Aug., 787
osteogenic, of chest wall, *1980*: Aug., 787
Schistosomal colitis, endoscopic appearance, *1982*: Oct., 909
Schwannoma, of vestibular nerve, suboccipital microsurgical removal of, *1980*: June, **565–591**
Scintiscanning, gastroesophageal, in children, *1981*: Oct., 1108
Scintigraphy, renal, *1982*: Dec., 1108
Scribner shunt, *1982*: June, 538
Scrotum. See also *Testes.*
acute pathology of, *1982*: Dec., **955–970**
fat necrosis of, *1982*: Dec., 967
idiopathic edema of, *1982*: Dec., 966–967
trauma to, *1982*: Dec., 968–969
Second opinion programs, *1982*: Aug., 620–621
surgical, current status of, *1982*: Aug., **705–719**
Secretin, *1981*: Feb., 51
Segmental blood pressure profile, *1982*: June, 475–476
Segmentectomy, left lateral, of liver, *1980*: April, 365
Seminoma, *1982*: Dec., 1119
mediastinal, *1980*: Aug., 770–771
metastatic, radiotherapy for, *1981*: Dec., 1332
retroperitoneal lymph node dissection for, *1981*: Dec., 1332–1333
Sensation, in peripheral nerves, *1981*: April, 306

Sensitivity analysis, use in cost-benefit and cost-effective analysis, *1982*: Aug., 743–744
Separation anxiety, in children, *1982*: Dec., 944–945
Sepsis. See also *Infection*.
effect on energy expenditure, *1981*: June, 550–551
hepatic failure and, *1981*: Feb., 226–228
in acute respiratory distress syndrome, *1980*: Dec., 1422–1423
in cancer patient, *1980*: Feb., 146–153
in trauma patient, *1980*: Feb., 141–142
intra-abdominal, *1980*: Feb., **197–212**
nutritional support, *1981*: June, **681–690**
protein metabolism, *1981*: June, 525
pulmonary edema in, *1981*: June, 688–689
respiratory distress in, *1980*: Aug., 995–996
susceptibility to, skin anergy test, *1981*: June, 684–685
Sequestration, bronchopulmonary, *1980*: Aug., 874–880
Serratia marcescens infection, surgical, incidence of, *1980*: Feb., 19
Sexual dysfunction, after abdominoperineal resection, *1980*: Oct., 1213
Shock, classification of, *1981*: Feb., 12
emergency care, *1980*: Oct., 1013–1014
hemorrhagic, impairment of venous return in, *1982*: Feb., **17–29**
hypovolemic, venous access in, *1982*: Feb., 12–13
septic, *1980*: Feb., **161–174**
Short bowel syndrome, *1980*: Oct., **1273–1284**
Shoulder, repair of, in brachial plexus injury, *1981*: April, 344
Shunting procedure. See also name of specific procedure or body part.
alternatives to, for bleeding esophageal varices, *1980*: April, **281–295**
arteriovenous, in bronchopulmonary sequestration, *1980*: Aug., 877
for esophageal varices, *1981*: Feb., **209–219**
for variceal hemorrhage, *1980*: Oct., **1265–1272**
pulmonary, equation for calculating fractions of, *1980*: Aug., 993
Sigmoid, examination of, endoscopic, *1982*: Oct., 872–873
sigmoidoscopic, *1980*: April, **465–479**
volvulus of, in geriatric patient, *1982*: April, 257–258
Sigmoidoscope, control mechanisms of, *1980*: April, 466–470
flexible fiberoptic, *1980*: April, **465–479**
Silver nitrate, for burns, *1980*: Feb., 189
Silver sulfadiazine, for burns, *1980*: Feb., 188
Sinography, for diagnosis of infected graft, *1982*: June, 521
Skin, drug reactions, *1980*: Feb., 67–69
Skinfold thickness, measurement, *1981*: June, 442–446
reference values, *1981*: June, 443–444
Skull, compound depressed fracture of, *1982*: Feb., 55–56
temporal bone and, tumors of, *1980*: June, **609–628**
Sling, Teflon, for repair of rectal prolapse, *1980*: April, 453–454
Small bowel, endoscopy of, *1982*: Oct., **821–824**
resection of, massive, nutritional problems after, *1981*: June, 727
trauma to, *1982*: Feb., 108
Small-Carrion prosthesis, *1982*: Dec., 991, 992
Smoke inhalation. See *Inhalation injury*.
Snare device, for colonoscopic polypectomy, *1982*: Oct., 878–879
Sodium cholate, dissolution of retained bile duct stones, *1981*: Aug., 945; *1982*: Oct., 830
Sodium warfarin, in prevention of pulmonary embolism, *1980*: Dec., 1345
Soft tissue, facial, injury to, *1982*: Feb., 78–83
Sonography, *1982*: June, 521, 522
SOSSUS, impact of on surgery, *1982*: Aug., **603–611**
Spastic dysphonia, *1980*: June, 645–646
Spherocytosis, hereditary, splenectomy for, *1981*: Feb., 117
Sphincter, anal, reconstruction of, *1980*: April, **457–463**
Sphincteroplasty with transampullary septectomy, *1981*: Aug., 917–919
for papillary disease, *1981*: Aug., 913–915
Sphincterotomy, duodenoscopic, for ductal stones, *1982*: Oct., 825–831
endoscopic, in acute pancreatitis, *1982*: Oct., 845–846
in chronic pancreatitis, *1982*: Oct., 846
Spinal cord, injury to, *1982*: Feb., **61–72**
indications for operation, *1980*: Oct., **1049–1054**
respiratory paralysis following, *1980*: Oct., **1055–1078**
Spine, cervical, injuries, *1980*: Oct., 1040–1043
injury to, anesthesia in, *1982*: Feb., 41–42
care during transportation, *1982*: Feb., 62
spinal stabilization in, *1980*: Oct., **1035–1047**

Spine *(Continued)*
lumbar, disk lesions and spondylosis of, *1980*: June, **649–663**
injuries, *1980*: Oct., 1046
thoracic, injuries, *1980*: Oct., 1043–1045
thoracolumbar junction, injuries, *1980*: Oct., 1046
Spirometry, in preoperative assessment of pulmonary function, *1980*: Dec., 1352
incentive, in treatment of pulmonary complications, *1980*: Dec., 1341–1343
indications for, *1980*: Dec., 1334
Spleen, autotransplantation, *1981*: Feb., 132
immunologic role of, *1981*: Feb., **142–144**
infection of, *1981*: Feb., 127–128
injuries to, *1981*: Feb., 3–6, **127–134**
trauma to, in children, *1981*: Oct., **1165–1180**
Splenectomy, alternatives to, *1981*: Feb., 129–133
for hematologic disease, *1981*: Feb., **117–125**
for staging Hodgkin's disease, *1980*: April, 371–373
for trauma, *1981*: Feb., 3–6
infection after, *1981*: Feb., 128, **135–155**
Splenorrhaphy, *1981*: Feb., 130
in children, *1981*: Oct., 1172
Splinting device, colonoscopic, perforation caused by, *1982*: Oct., 893
use in colonoscopy, *1982*: Oct., 875–876
Spondylosis, lumbar, disk lesions and, *1980*: June, **649–663**
Sporotrichosis, pulmonary, *1980*: Aug., 911
Sputum, examination of, *1980*: Aug., 747–748
in diagnosis of lung cancer, *1980*: Aug., 800
sampling of, in pneumonia, *1980*: Dec., 1399
Stab wounds, abdominal, *1982*: Feb., 107
Stamey procedure, *1982*: Dec., 1038–1042
Staphylococcus aureus, methicillin-resistant, *1980*: Feb., 119–120
Staphylococcus epidermidis, infection, in surgical patient, *1980*: Feb., 125
Stapler, automatic, in bronchial closure, *1980*: Aug., 889
end-to-end anastomosis (EEA), *1980*: April, 382
surgical applications of, *1980*: April, 388–393
gastrointestinal anastomosis (GIA), *1980*: April, 382
surgical applications of, *1980*: April, 384–388, 393
in gastrointestinal surgery, *1980*: April, **381–397**
Stapler *(Continued)*
ligating-dividing (LDS), *1980*: April, 394–395
thoracoabdominal (TA), *1980*: April, 381–382
surgical applications of, *1980* April, 268, 270, 292–293, 340, 384–388, 393
Starling equation, *1982*: Feb., 123
Starvation, clinical changes in, *1981*: June, 537–538
prolonged, metabolic effects, *1981*: June, 536–537
stressed, metabolism in, *1981*: June, 538–541
uncomplicated, metabolic effects, *1981*: June, 529–535
Stenosis, tracheal, *1980*: Dec., 1474
Sternocleidomastoid muscle flap, *1980*: Oct., 1189–1193
Sternum, cleft, *1981*: Oct., 1199
fracture of, *1980*: Aug., 964
Steroids, for aspiration pneumonia, *1980*: Dec., 1559–1560
Stevens-Johnson syndrome, *1980*: Feb., 67
Stress, metabolic effects, *1981*: June, 513–514
Stress incontinence, urinary, *1980*: April, **425–435**; *1982*: Dec., **1035–1045**
Stricture, benign biliary, management of, *1980*: April, **313–332**
Stroke, acute, management of, *1982*: June, **467–472**
carotid artery disease and, *1980*: June, 518–524
postarteriography, *1982*: June, 470
postendarterectomy, *1982*: June, 470–472
Study on Surgical Services for the United States (SOSSUS), impact of on surgery, *1982*: Aug., **603–611**
Succinylcholine, in pediatric anesthesia, *1981*: Oct., 1000
in spinal injury, *1982*: Feb., 41–42
Suction drainage, of chest, *1980*: Dec., 1492–1493
Sugiura procedure, for bleeding esophageal varices, *1980*: April, 289–291
Sulfobromophthalein sodium dye, *1981*: Feb., 197
Superficial femoral vein bypass, *1982*: June, 404
Surgeons, in United States, practice characteristics of, *1982*: Aug., **641–656**
non–board-certified, number of, *1982*: Aug., 585
number of, present and future needs, *1982*: Aug., **579–602**
operative loads of, *1982*: Aug., 644, 645–646, 787
Surgery. See also names of organs or parts and procedures.

Surgery *(Continued)*
complex problems in, symposium on, *1980*: Oct., **1009–1314**
decisions in, reliability and reproducibility of, *1982*: Aug., **721–735**
role of cost-effective and cost-benefit analysis, *1982*: Aug., 747
federal legislation and the future of, *1982*: Aug., **771–779**
manpower in, present and future needs for, *1982*: Aug., **579–602**
microvascular. See *Microvascular surgery*.
mortality and morbidity rates in, variations in, *1982*: Aug., 786
mortality in, association with volume of, *1982*: Aug., 655, 786
physician assistants in, *1982*: Aug., **669–675**
procedures in, classification of, *1982*: Aug., 688–689
regionalization of, *1982*: Aug., **657–668**
quality assurance in, *1982*: Aug., **751–759**
quality of care in, variations in, *1982*: Aug., 785–786
rates of, association with mortality, *1982*: Aug., 655, 786
differences in within same country, *1982*: Aug., 630–631
in United States, *1982*: Aug., **559–578**
compared with England, Canada and Wales, *1982*: Aug., 628–630
compared with other countries, *1982*: Aug., 619–620
related to payment plan, *1982*: Aug., 754
variations in, *1982*: Aug., 782–785
significance of, *1982*: Aug., **627–639**
respiratory care in, symposium on, *1980*: Dec., **1319–1575**
techniques, symposium on, *1980*: April, 245–479; June, **485–710**
unnecessary, *1982*: Aug., **613–625**, 753, 785
Surgical patient, prophylactic antibiotics for, *1980*: Feb., **83–92**
Swan-Ganz catheter, assessment of positive-end expiratory pressure with, *1980*: Dec., 1407
Syndrome. See specific syndrome.
Synovial fluid, role in tendon nutrition, *1981*: April, 274
Systems, multiple, failure of, *1980*: Oct., **1167–1178**

T-TUBE, drainage after common bile duct stone removal, *1981*: Aug., 905–906
extraction of common bile duct stones, *1981*: Aug., 906
T-tube *(Continued)*
for stent in choledochoplasty, *1980*: April, 323–324
in biliary tract surgery, *1980*: April, 298–299
with choledochojejunostomy, *1980*: April, 343
T-tube cholangiography, postoperative, discovery of retained stones, *1981*: Aug., 943–944
Tachypnea, neonatal, *1980*: Dec., 1522
Tactile gnosis, testing of, *1981*: April, 315
Tamponade, cardiac, after trauma, *1980*: Aug., 977–978; Dec., 1545
in infants and children, *1981*: Oct., 1194
Tanner procedure, for bleeding esophageal varices, *1980*: April, 286–288
^{99m}Tc cholescintigraphy, *1981*: Aug., **827–842**
Teeth, avulsed, replantation of, *1982*: Feb., 90
Teflon sling, for repair of rectal prolapse, *1980*: April, 453–454
Temporal bone, skull base and, tumors of, *1980*: June, **609–628**
Tendon, blood supply of, *1981*: April, 273
intrinsic healing potential of, *1981*: April, 274–275
nurition of, role of synovial fluid in, *1981*: April, 274
of hand, anatominc nomenclature of, *1981*: April, 267–268
Tension pneumothorax, *1980*: Aug., 965–966, Dec., 1545; *1982*: Feb., 11, 101
Teratocarcinoma, *1982*: Dec., 1119
Teratoma, *1982*: Dec., 1119
mediastinal, *1980*: Aug., 769–770
Testes. See also *Scrotum*.
cancer, nonseminomatous, chemotherapy for, *1981*:Dec., 1333–1334
radiotherapy for, *1981*: Dec., 1333
surgery plus radiotherapy for, *1981*: Dec., 1334
torsion of, extravaginal, *1982*: Dec., 955–956
intravaginal, *1982*: Dec., 956–959
tumor of, *1982*: Dec., 967, **1119–1127**
undescended, age for elective repair of, *1982*: Dec., 949
nonpalpable, localization and management, *1980*: Oct., **1253–1263**
Testicular appendages, torsion of, *1982*: Dec., 965–966
Testosterone, for impotency, *1982*: Dec., 986
Tests. See also specific test.
for muscle strength, *1981*: April, 303–304
laboratory, preoperative, in chronic lung disease, *1980*: Dec., 1353

Tests *(Continued)*
of pulmonary function, preoperative *1980*: Dec., 1352
Tetracyclines, hepatotoxicity of, *1980*: Feb., 73
use in patients with hepatic dysfunction, *1982*: April, 335
Tetralogy of Fallot, correction *1981*: Oct., of, 1066
Thermogenesis, *1981*: June, 548–549
Thermoregulation, in pediatric surgery, *1981*: Oct., 1005
Thiamine, *1981*: June, 502–503
Thiotepa, for large bowel cancer, *1981*: Dec., 1315
for large bowel carcinoma, *1981*: Dec., 1297
for superficial bladder tumors, *1981*: Dec., 1335–1336
Thomas shunt, *1982*: June, 539
Thoracentesis, for thoracic empyema, *1980*: Aug., 845
Thoracic. See also *Chest*.
Thoracic duct, injury to, in children, *1981*: Oct., 1188
Thoracic outlet syndrome, *1980*: Aug., **947–956**; *1982*: June, 377–380
shoulder-girdle exercises for, *1980*: Aug., 937–938
Thoracic spine, injuries, *1980*: Oct., 1943–1045
Thoracoplasty, for thoracic outlet *1980*: Aug., syndrome, 953–954
in management of tuberculous *1980*: Aug., disease, 889
Thoracostomy, tube, *1982*: Feb., 98–99
for spontaneous pneumothorax, *1980*: Aug., 853–854
Thoracotomy, *1982*: Feb., 99
analgesia after, *1980*: Dec., 1495
closure of, *1980*: Dec., 1483, 1486
early, for thoracic trauma, *1980*: Aug., 960
emergency, *1980*: Oct., 1013
for esophageal lesions, *1980*: April, 266–267, 272–273
for pericardial tamponade, *1982*: Feb., 11
for spontaneous pneumothorax, *1980*: Aug., 855
indications in children, *1981*: Oct., 1183
posterolateral, in resection for tuberculous disease, *1980*: Aug., 888
preoperative evaluation for, *1980*: Dec., 1481
ventilation during, *1980*: Dec., 1488–1489
Thorax. See *Chest*.
Thromboangiitis obliterans, *1982*: June, 383
Thrombocytopenia, splenectomy for, *1981*: Feb., 119–120
Thromboembolism, pulmonary, *1980*: Dec., 1571–1575
Thromboembolism *(Continued)*
pulmonary, effect on pulmonary function, *1980*: Dec., 1332
Thrombophlebitis, in peripheral parenteral nutrition, *1981*: June, 601
secondary to intravenous injection of diazepam, *1982*: Oct., 891
superficial, *1982*: June, 496
Thrombosis, coronary vein, for bleeding esophageal varices, *1980*: April, 282–283
inferior vena caval, CT detection, *1982*: Dec., 933
of deep vein, acute, *1982*: June, 493
recurrent, *1982*: June, 494
Thrombotic threshold velocity, *1982*: June, 508
Thumb, deformity of, in cerebral palsy, treatment, *1981*: April, 402
Thumb-in-palm deformity, *1981*: April, 403
Thymectomy, for myasthenia gravis, *1980*: Aug., 935–936, 938, 939–942
Thymoma, *1980*: Aug., 766–768
Thymus gland, relationship to myasthenia gravis, *1980*: Aug., 937–938
Thyroid, tumor, *1980*: Aug., 772
Tic douloureux, refractory, microsurgical techniques for, *1980*: June, **593–607**
Tidal volume, monitoring of, *1980*: Dec., 1437–1438
Tinel's sign, *1981*: Apr., 306–307
Tissue committee, *1982*: Aug., 616–617, 757
TNM staging, of bronchial carcinoma, *1981*: Dec., 1283
of lung cancer, *1980*: Aug., 802–804
Tobramycin, for intra-abdominal abscess, *1982*: April, 234
Toe, transplantation of, for digital aplasia, *1981*: Apr., 4
Tonsillectomy and adenoidectomy, fictional case history, use in study of surgical decision-making, *1982*: Aug., 726
Total parenteral nutrition. See *Hyperalimentation* and *Nutrition, total parenteral (TPN)*.
Trace element, deficiencies, syndromes of, *1981*: June, 440
intake during TPN, *1980*: Oct., 1244–1245
Trachea, rupture of, *1980*: Dec., 1475–1476
stenosis of, *1980*: June, 646–647; Dec., 1474
Tracheobronchial tree, injury to, in children, *1981*: Oct., 1190
rupture of, *1980*: Dec., 1546; *1982*: Feb., 101
trauma to, *1980*: Aug., 970–971
Tracheoesophageal fistula, *1981*: Oct., **1051–1061**

Tracheostomy, *1982*: Feb., 75
acute complications of, *1980*: Dec., 1462–1463
for respiratory distress, *1980*: Aug., 998
neonatal, *1980*: Dec., 1531
permanent, for bilateral high vagal paralysis, *1980*: Oct., 1089–1091
technique, *1980*: Dec., 1457–1459
versus endotracheal intubation, *1980*: Dec., 1448–1449
Tracheotomy, technique and complications, *1980*: Oct., **1093–1104**
Traction, for cervical fractures or dislocations, *1980*: Oct., 1040–1043
for spinal injury, *1982*: Feb., 68–69
Transaminase, serum, *1981*: Feb., 201
Transcutaneous phrenic nerve stimulation (TPNS), *1980*: Oct., 1057
Transfer factor, as immunotherapy for maliganant melanoma, *1981*: Dec., 1251
Transferrin, serum, assessment of visceral protein, *1981*: June, 457–458
Transhepatic cholangiography, percutaneous. See *Percutaneous transhepatic cholangiography*.
Transhepatic tube, in biliary tract surgery, *1980*: April, 303–309
percutaneous, in biliary tract surgery, *1980*: April, 309–311
Transient ischemic attacks, carotid artery disease and, *1980*: June, 531–524
microsurgical vascular bypass for, *1980*: June, **555–563**
Transplantation, renal, aspergillosis and, *1980*: Aug., 916
pancreas, *1981*: Feb., **85–98**
pancreatic islet cell, *1981*: Feb., 91–95
Transureteroureterostomy, *1982*: Dec., 1014–1015
Trauma. See also *Wounds*; and under names of organs.
abdominal, *1982*: Feb., **105–111**
blunt, CT in, *1982*: Dec., 933
during pregnancy, *1982*: April, **275–289**.
effect on body composition, *1981*: June, 732–734
effect on energy expenditure, *1981*: June, 550–551
effects on host defense mechanisms, *1982*: Feb., **167–181**
emergency care, *1980*: Oct., **1009–1020**
documentation of, *1980*: Oct., 1017–1020
facilities for treating, categorization of, *1982*: Feb., 3–4
hepatic, *1981*: Feb., 11–14
infection and, *1980*: Feb., **133–144**
major, anesthesia for, *1982*: Feb., **31–45**
maxillofacial, *1982*: Feb., **73–96**
metabolic response to, *1981*: June, 672–674; *1982*: Feb., 183–185
Trauma *(Continued)*
multiple, blood studies in, *1980*: Oct., 1015–1016
nutrition in, *1981*: June, 671–679; *1982*: Feb., 185–190
pancreatic, *1981*: Feb., 6–11
prevention of, role of public education in, *1982*: Feb., 7
protein metabolism after, *1981*: June, 524
renal, *1982*: Dec., 1049–1062
classification of, *1982*: Dec., 1057–1058
with pancreatic trauma, *1982*: Dec., 1055
renal response to, *1982*: Feb., 133–145
scrotal, *1982*: Dec., 968–969
severe, eye injuries in patients with, *1982*: April, **301–308**.
host defense and, *1980*: Feb., 108–110
splenic, *1981*: Feb., 3–6, 127–134
and hepatic, in children, *1981*: Oct., **1165–1180**
symposium on, *1982*: Feb., **1–194**
thoracic, *1980*: Aug., 957–981; Dec., **1541–1549**; *1982*: Feb., **97–104**
in children, *1981*: Oct., **1181–1197**
to bladder, *1982*: Dec., 1069–1070
to upper extremity arteries, *1982*: June, 381–382
to ureter, *1982*: Dec., 1062–1069
to urinary tract, examination of trauma patient for, *1982*: Dec., 1047–1049
vascular, acute civilian, management of, *1982*: Feb., **113–119**
Trauma care, regionalization of, controversies in, *1982*: Feb., 4–6
Trauma patients, guidelines for categorizing, *1982*: Feb., 4, 5
initial assessment of, *1982*: Feb., 9
Trendelenburg position, in shock, *1982*: Feb., 27
Triage, of head injury, *1982*: Feb., 53
of trauma patients, guidelines for, *1982*: Feb., 4, 5
Triethylenethiophosphoramide. See *Thiotepa*.
Trigeminal neuralgia, refractory, microsurgical techniques for, *1980*: June, **593–607**
Trocar, sleeve and, in laparoscopy, *1980*: April, 408–409, 416–418
tube feeding, *1982*: April, 326. See also *Endotracheal intubation*; and *Enteral nutrition*.
nasoduodenal, *1981*: June, 610–611
Tube(s), in biliary tract surgery, *1980*: April, **297–312**
double lumen endotracheal, in thoracic operations, *1980*: Aug., 887–888
Tuberculosis, atypical infections, *1980*: Aug., 889–890

Tuberculosis *(Continued)*
in immune-compromised patient, *1980*: Aug., 921–922
pediatric, operative intervention in, *1980*: Aug., 894
surgical management of, *1980*: Aug., **883–895**
indications for *1982*: April, 201–202
Tumor. See also *Carcinoma*; specific tumors; and names of organs.
carcinoid, mediastinal, *1980*: Aug., 773
chromaffin. See *Pheochromocytoma*.
doubling time, *1980*: Aug., 819–820
germ cell. See also *Tumor, testicular*.
mediastinal, *1980*: Aug., 769–771
hepatic, *1981*: Feb., **181–196**
in children, *1981*: Oct., **1209–1217**
malignant, *1981*: Feb., **169–180**
mediastinal, *1980*: Aug., 764–766
of intercostal nerves, *1980*: Aug., 784
of bronchus, benign, *1980*: Aug., 825–834
of chest wall, *1980*: Aug., 779–791
Pancoast's, radiographic appearance of, *1980*: Aug., 799
pulmonary, benign, *1980*: Aug., 825–834
retroperitoneal, CT detection of, *1982*: Dec., 926
malignant, *1981*: Oct., **1219–1237**
superior sulcus, five-year survival rate of patients with, *1981*: Dec., 1285
radiographic appearance of, *1980*: Aug., 799
testicular, *1982*: Dec., 967, **1119–1127**
nonseminomatous, classification of, *1982*: Dec., 1119
thyroid, *1980*: Aug., 772
Two-point discrimination test, moving, *1981*: April, 311–312
Weber, *1981*: April, 310–311
Tympanic neurectomy, *1980*: Oct., 1088

U TUBE, in biliary tract surgery, *1980*: April, 305–306
Ulcer, acute gastroduodenal, severe burn injury and, *1980*: Oct., 1029–1031
parietal cell vagotomy for, *1980*: April, **247–263**
Ulcer, duodenal, parietal cell vagotomy for, *1980*: April, **247–263**
visible vessel in patients with, *1982*: Oct., 801–804
Ulcerative colitis, chronic, carcinoma in, *1982*: Oct., 907–908
in children, *1981*: Oct., 1125–1131
TPN in, *1981*: June, 702
Ultrasonography, during pregnancy, *1982*: April, 282
for gallbladder disease, *1981*: Aug., 794–795
Ultrasonography *(Continued)*
for renal carcinoma, *1982*: Dec., 1107
gray-scale, for intra-abdominal abscess, *1982*: April, 230
in acute cholecystitis, *1981*: Aug., 889
in biliary tract disease, versus, CT, *1981*: Aug., 787–788
in examination of chest, *1980*: Aug., 725
of biliary tree, *1981*: Aug., 800–801, 806
of liver, *1981*: Aug., 808, 812
of liver and biliary system, *1981*: Aug., 791–794
of pancreas, *1981*: Feb., 28–32, 36–37, 101; Aug., 794
of pancreatic disease, *1981*: Aug., 814, 930
Umbilical vein grafts, *1982*. June, 504–505, 546
Unnecessary surgery, *1982*: Aug., **613–625**, 753, 785
Upper extremity, flaps for, *1981*: April, 294
implant arthoplasty in, *1981*: April, 369–382
injuries to, revascularization after, *1981*: April, **290–291**
severe, management, *1981*: April, **287–301**
Urecholine supersensitivity test, *1982*: April, 263
Ureter, anatomy of, *1982*: Dec., 1062–1063
ileal replacement of, *1980*: June, 695, 697; *1982*: Dec., 1016
surgical injury to, *1982*: Dec., 1064–1067
trauma to, *1982*: Dec., 1062–1069
Ureterocolic anastomosis, in children, *1981*: Oct., 1150
Ureteroileocutaneous (ileal loop) diversion, *1980*: June, 694–696
Ureteroileosigmoidostomy, *1980*: June, 700–701
Ureteroileostomy, infants and children, *1981*: Oct., 1148
Ureterosigmoidostomy, *1980*: June, 700–701
Ureterostomy, cutaneous, *1980*: June, 689, 691; *1982*: Dec., 1031–1032
in infants and children, *1981*: Oct., 1148
intubated, *1980*: June, 689, 691
Ureteroureterostomy, end-to-end, *1982*: Dec., 1012
Wallace conjoined, *1982*: Dec., 1004
Urethra, injury of, *1982*: Dec., 1071–1073
urinary stress incontinence and, *1980*: April, **425–435**
Urethral catheter, for urinary diversion, *1980*: June, 692–694
Urethral dysfunction, after abdominoperineal resection, *1980*: Oct., 1211–1213
Urethrostomy, perineal, *1980*: June, 693, 694

Urinary diversion, palliative, *1982*: Dec., **1025–1034**
reversal, *1982*: Dec., **1009–1023**
types and techniques, *1980*: June, **687–702**
Urinary incontinence, in geriatric patient, *1982*: April, **261–274.**
stress, *1980*: April, **425–435**; *1982*: Dec., **1035–1045**
surgical management of, *1980*: April, 430–435
Urinary retention, differential diagnosis, *1980*: Oct., 1209
Urinary sphincter, creation of from trigonal musculature, *1982*: Dec., 1020
Urinary tract. See also *Genital tract; Genitourinary tract.*
infection, in surgical patient, *1980*: Feb., 122–124, **223–231**
in trauma patient, *1980*: Feb., 137–138
reflux, diversion procedures in infants and children, *1981*: Oct., **1147–1164**
trauma to, examination of trauma patient for, *1982*: Dec., 1047–1049
Urinary undiversion, timing and technique, *1982*: Dec., **1009–1023**
Urine, extravasation of, CT detection, *1982*: Dec., 929
Urobilinogen, in assessing liver function, *1981*: Feb., 199
Urography, intravenous, for renal mass lesions, *1982*: Dec., 1105, 1107
Urologic surgery, symposium on, *1982*: Dec., **917–1150**
Ursodeoxycholic acid, for gallstones, *1981*: Aug., 870–871
Uterine bleeding, as indication for vaginal hysterectomy, *1980*: April, 448–449
Uterine probe, *1980*: April, 303
Uterus, gravid, trauma to, *1982*: April, 279–280
Utilization review, *1982*: Aug., 752–753

VAGINAL hysterectomy, *1980*: April, **437–449**
Vagotomy, parietal cell, *1980*: April, **247–263**
Vagus nerves, anatomy of, *1980*: April, 248–250
paralysis of, *1980*: Oct., **1079–1092**
"Valley fever," *1980*: Aug., 902, 903
Valve(s), cardiac, trauma to, *1980*: Aug., 977
femoral vein, transplant, *1982*: June, 396
venous, transplantation, *1982*: June, 401
transposition, *1982*: June, 405–406
Valvuloplasty, venous, *1982*: June, 396, 401–402, 405
Vanillylmandelic acid, elevated, with ganglioneuroma and neuroblastoma, *1980*: Aug., 764
Varicella zoster virus, pulmonary infection with, *1980*: Aug., 925–926
Varices, esophageal, endoscopic injection sclerosis for, *1982*: Oct., 812–818
hemorrhage in, management of, *1980*: April, **282–295**
shunts for, *1980*: Oct., **1265–1272**
Varicose veins, *1982*: June, 496–497
Vascular access, for chronic intravenous medication, *1982*: June, 546–549
for dialysis, *1982*: June, 538–546
techniques for, *1982*: June, **531–551**
Vascular bypass, microsurgical, for cerebrovascular disease, *1980*: June, **555–563**
Vascular change, in inflammatory response, *1980*: Feb., 93–96
Vascular grafts, current status, *1982*: June, **501–513**
for traumatic injury, *1982*: Feb., 114
infection of, *1982*: June, **515–530**
classification, *1982*: June, 524–525
operations for, use of prophylactic antibiotics, *1982*: June, 517
Vascular injury, acute civilian, management of, *1982*: Feb., **113–119**
fracture and, *1980*: Oct., 1128–1129
Vascular surgery, penile, for impotency, *1982*: Dec., 987–991
Vas deferens, anatomy and physiology of, *1982*: Dec., 971–972
Vasectomy, *1982*: Dec., 971–976
Vasoactive intestinal peptide, *1981*: Feb., 52
Vasodilators, use in shock, *1982*: Feb., 27
Vasovasostomy, *1982*: Dec., 976–980
Vater, ampulla of, cancer of, *1981*: Feb., **99–106**
Vein(s), deep, recurrent thrombosis, *1982*: June, 494
disease of, noninvasive tests for, *1982*: June, **489–500**
selected problems in, symposium on, *1982*: June, **345–552**
femoral, valve transplant, *1982*: June, 396
iliac, compression of, operation for, *1982*: June, 394–395
reconstructive surgery of, *1982*: June, 399–410
thrombosis of, acute, diagnosis, *1982*: June, 493
varicose, *1982*: June, 496–497
Vena cava, transvenous filtration of, history of procedures for, *1982*: June, 411–412
operation for, *1982*: June, 415–420
trauma to, *1980*: Aug., 980
Venography, for renal carcinoma, *1982*: Dec., 1108

Venography *(Continued)*
gonadal, in localization of undescended testes, *1980*: Oct., **1253–1263**
Venous bypass, *1982*: June, **391–398**, 400–401
Venous insufficiency, chronic post-thrombotic, *1982*: June, 495
Venous pressure, central (CVP), in respiratory failure, *1980*: Dec., 1417–1418
Venous return, *1982*: Feb., 18–19
Venous stasis disease, *1982*: June, 495
Venous thrombosis. See under *Thrombosis*.
Ventilation. See also specific modes.
assist-control, *1980*: Dec., 1431
during thoracotomy, *1980*: Dec., 1488–1489
high frequency, *1980*: Dec., 1433
intermittent mandatory. See *Intermittent mandatory ventilation*.
mechanical, for neonatal respiratory distress, *1980*: Dec., 1525–1527
techniques of, *1980*: Dec., **1429–1435**
negative-pressure techniques, *1980*: Dec., 1434–1435
positive-pressure, for aspiration pneumonia, *1980*: Dec., 1562
Ventilation-perfusion, abnormalities, in acute respiratory distress syndrome, *1980*: Dec., 1415–1416
imbalance of, as response to pulmonary injury, *1980*: Dec., 1324–1325
Ventilatory support, prolonged, selection of technique, *1980*: Dec., 1362–1364
weaning from, *1980*: Dec., 1366–1367
Ventilatory therapy, heart failure during, *1980*: Dec., 1368–1369
Verres needle, for pneumoperitoneum, *1980*: April, 407–408
Vesicostomy, in infants and children, *1981*: Oct., 1149
Vessels, great. See *Great vessels*.
Vestibular nerve, schwannoma of, suboccipital microsurgical removal of, *1980*: June, **565–591**
Veterans Administration Surgical Oncology Group, principal investigators, *1981*: Dec., 1312
Vinblastine, for nonseminomatous testicular cancer, *1981*: Dec., 1333–1334
in combination chemotherapy for malignant melanoma, *1981*: Dec., 1253
Visceral ischemia, chronic, *1982*: June, **345–356**
Visual acuity testing, in traumatized patient, *1982*: April, 302–303
Vital capacity, monitoring of, *1980*: Dec., 1437–1438
Vitamin requirements, *1981*: June, 498–506
in congestive heart failure, *1981*: June, 644
Vitamin requirements *(Continued)*
parenteral requirements, *1980*: Oct., 1245
Vitamin deficiencies, clinical signs of, *1981*: June, 440
Vocal cord paralysis, surgical treatment, *1980*: June, 638–641
Voice restoration, after laryngectomy, *1980*: June, 641–645
Volkmann's ischemic contracture, *1980*: June, 668
Volvulus, of colon, in geriatric patient, *1982*: April, **249–260.**
von Frey test, *1981*: April, 307–309
von Recklinghausen's disease, bilateral acoustic neuroma and, *1980*: June, 588

WATER, normal needs, *1981*: June, 491–492
Weaning, from mechanical ventilator assistance, *1980*: Aug., 996–998; Dec.,1366–1367, 1409–1410
Wedge resection, for lung cancer, indications, *1982*: April, 201
Weight. See *Body weight*.
Weight loss, in pancreatic cancer, *1981*: Feb., 99
Wernig-Hoffmann disease, *1981*: Oct., 1024
Whipple procedure, for pancreatic lesion, *1980*: April, 338–341
Wilm's tumor, *1981*: Oct., 1220–1225, 1227
Wirsung's duct, endoscopic obstruction of, *1982*: Oct., 847–851
Wound(s). See also *Trauma* and under names of organs.
chronic radiation, *1982*: April, **309–319.**
infection, in trauma patient, *1980*: Feb., 138–140
open, management, *1980*: Oct., 1124–1125
surgical, classification of, *1980*: Feb., 87–88
infection of, incidence and cost, *1980*: Feb., **15–25**
Wrinkled finger sign, *1981*: April, 307
Wrist, sprains of, *1980*: June, 676

XENON 133 scan, pulmonary, for inhalation injury, *1980*: Dec., 1536
X-ray. See *Radiography*.

Y TUBE, modified, in biliary tract surgery, *1980*: April, 299–303

ZINC deficiency, with parenteral nutrition in children, *1981*: Oct., 1096
Zygoma, fractures of, *1982*: Feb., 90–92